

Literaturverzeichnis Prof. Dr. Henri Brunner

Brunner, Henri. Glass rods manipulate genetic information. *Nachrichten aus der Chemie* (2010), 58(4), 451-452.

Brunner, Henri; Muschiol, Manfred; Tsuno, Takashi; Takahashi, Takemoto; Zabel, Manfred. Pyramidal Stability of 16-Electron Half-Sandwich Intermediates [CpRu(P-P)]⁺ with P-P Ligands Forming Four- to Six-Membered Chelate Rings. *Organometallics* (2010), 29(2), 428-435.

Tsuno, Takashi; Uehara, Takashi; Brunner, Henri; Zabel, Manfred. Stereochemistry of (η^5 -cyclopentadienyl)bis(triphenylphosphane)-rhodium. *Nihon Daigaku Seisankogakubu Kenkyu Hokoku, A: Rikokei* (2009), 42(1), 69-75.

Brunner, Henri; Tsuno, Takashi. Ligand Dissociation: Planar or Pyramidal Intermediates? *Accounts of Chemical Research* (2009), 42(10), 1501-1510.

Brunner, Henri; Muschiol, Manfred; Tsuno, Takashi; Takahashi, Takemoto; Zabel, Manfred. Pyramidal Stability of Chiral-at-Metal Half-Sandwich 16-Electron Fragments [CpRu(P-P)]. *Organometallics* (2008), 27(14), 3514-3525.

Boehm, Andreas; Brunner, Henri; Beck, Wolfgang. Chiral half-sandwich pentamethylcyclopentadienyl rhodium(III) and iridium(III) complexes with Schiff bases from salicylaldehyde and α -amino acid esters. *Zeitschrift fuer Anorganische und Allgemeine Chemie* (2008), 634(2), 274-278.

Brunner, Henri; Muschiol, Manfred; Zabel, Manfred. Synthesis of (R,R)- and (S,S)-Norphos. *Synthesis* (2008), (3), 405-408.

Tsuno, Takashi; Brunner, Henri; Katano, Syushi; Kinjyo, Naoto; Zabel, Manfred. Synthesis of chiral-at-metal half-sandwich ruthenium(II) complexes with the CpH(PN_{Ment}) tripod ligand. *Journal of Organometallic Chemistry* (2006), 691(12), 2739-2747.

Brunner, Henri; Keck, Christian. Enantioselective catalysis. 157. Carbohydrate-based, water-soluble ligands for the stereoselective hydrogenation of folic acid. *Zeitschrift fuer Anorganische und Allgemeine Chemie* (2005), 631(13-14), 2555-2562.

Brunner, Henri; Ebner, Alexander; Wachter, Joachim; Zabel, Manfred. Synthesis and structural characterization of the neutral pentagonal-prismatic Co₁₁Te₇(CO)₁₀ cluster in a matrix of

[Cp'₄Nb₂(CH₃Te)Te]I (Cp' = tBuC₅H₄). Comptes Rendus Chimie (2005), 8(11-12), 1856-1862.

Brunner, Henri. Das Spiralwachstum der Pflanzen – Kant, Goethe, Hashimoto. Nachrichten aus der Chemie (2005), 53(9), 1036-1037.

Brunner, Henri. Waren Goethes FüÙe in Ordnung? Nachrichten aus der Chemie (2004), 52(4), 445.

Brunner, Henri. Diastereomers Do, What They Should Not D. Progress in Biological Chirality, Elsevier, Oxford, (2004), 39-47.

Brunner, Henri; Koellnberger, Andreas; Mehmood, Arshad; Tsuno, Takashi; Zabel, Manfred. Stabilization of the labile metal configuration in half-sandwich complexes [CpRh(PN)Hal]X. Journal of Organometallic Chemistry (2004), 689(24), 4244-4262.

Bernhardt, Guenther; Brunner, Henri; Gruber, Nick; Lottner, Christian; Pushpan, Simi K.; Tsuno, Takashi; Zabel, Manfred. Carboplatin derivatives with superior antitumor activity compared to the parent compound. Inorganica Chimica Acta (2004), 357(15), 4452-4466.

Brunner, Henri; Gruber, Nick. Carboplatin-containing porphyrin-platinum complexes as cytotoxic and phototoxic antitumor agents. Inorganica Chimica Acta (2004), 357(15), 4423-4451.

Brunner, Henri; Gruber, Nick. Carboplatin-type platinum(II) complexes and their antitumor activity. PCT Int. Appl. (2004), 46 pp.

Lottner, Christian; Knuechel, Ruth; Bernhardt, Guenther; Brunner, Henri. Distribution and subcellular localization of a water-soluble hematoporphyrin-platinum(II) complex in human bladder cancer cells. Cancer Letters (Amsterdam, Netherlands) (2004), 215(2), 167-177.

Brunner, Henri; Grau, Ilias; Zabel, Manfred. Optically active transition metal compounds. 135. Half-sandwich complexes [(η^5 -C₅Me₅)M(P-P')Hal]X with chiral metal (Rh, Ir) and phosphorus atoms. [Erratum to document cited in CA141:174306]. Organometallics (2004), 23(23), 5652.

Brunner, Henri; Hausmann, Florian; Knuechel-Clarke, Ruth. Preparation of 5-aminolaevulinic acid derivatives and their use for the photodynamic therapy and tumor diagnostics. Ger. Offen. (2004), 27 pp.

Brunner, Henri; Grau, Ilias; Zabel, Manfred. Optically active transition metal compounds. Part 136 [1]. An octahedral molybdenum complex (P-P')Mo(CO)₄ with a chiral secondary phosphorus atom. Zeitschrift fuer Naturforschung, B: Chemical Sciences (2004), 59(8), 889-892.

Brunner, Henri; Koellnberger, Andreas; Mehmood, Arshad; Tsuno, Takashi; Zabel, Manfred. Stabilization of the Labile Metal Configuration in Half-Sandwich Complexes with Tripod Ligands. Organometallics (2004),

23(17), 4006-4008.

Brunner, Henri; Grau, Ilias; Zabel, Manfred. Optically Active Transition Metal Compounds. 135. Half-Sandwich Complexes $[(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\text{P-P}')\text{Hal}]\text{X}$ with Chiral Metal (Rh, Ir) and Phosphorus Atoms. *Organometallics* (2004), 23(16), 3788-3799.

Brunner, Henri; Henning, Frauke. Enantioselective Catalysis. Part 156. Ruthenium Procatalysts and 2-Pyridinealdehyde/(S)-NOBIN-Derived Cocatalysts in the Transfer Hydrogenation of Acetophenone with 2-Propanol. *Monatshefte fuer Chemie* (2004), 135(7), 885-897.

Brunner, Henri. A new hydrosilylation mechanism - New preparative opportunities. *Angewandte Chemie, International Edition* (2004), 43(21), 2749-2750.

Brunner, Henri. Chiral-at-metal half-sandwich compounds. Abstracts of Papers, 227th ACS National Meeting, Anaheim, CA, United States, March 28-April 1, 2004 (2004), INOR-488.

Brunner, Henri; Henning, Frauke; Zabel, Manfred. Enantioselective catalysis. Part 155. (Cymene)ruthenium half-sandwich complexes with pyrrolyloxazoline ligands - Synthesis, stereochemistry, catalysis. *Zeitschrift fuer Anorganische und Allgemeine Chemie* (2004), 630(1), 91-96.

Brunner, Henri. Rechts oder links. Facetten einer Wissenschaft, Wiley-VCH, Weinheim, 2004, 163-180.

Lottner, Christian; Knuechel, Ruth; Bernhardt, Guenther; Brunner, Henri. Combined chemotherapeutic and photodynamic treatment on human bladder cells by hematoporphyrin-platinum(II) conjugates. *Cancer Letters* (Amsterdam, Netherlands) (2004), 203(2), 171-180.

Brunner, Henri. Schneckenhäuser – mal links, mal rechts. *Nachrichten aus der Chemie* (2003), 51(4), 433-434.

Brunner, Henri. Diastereomers do, what they should not do. *Progress in Biological Chirality*, [Papers presented at the Interdisciplinary Symposium on Biological Chirality], 3rd, Modena, Italy, Apr. 30-May 4, 2003 (2004), Meeting Date 2003, 39-47.

Brunner, Henri; Weber, Matthias; Zabel, Manfred. Asymmetric catalysis, 154. New 1,1'-binaphthyl ligands for enantioselective catalysis. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (2003), 58(9), 821-826.

Brunner, Henri; Weber, Matthias; Zabel, Manfred. Enantioselective catalysis Part 147. A Rh(cod) complex with the chiral $[\text{Pt}_2\text{S}_2\{(-)\text{diop}\}_2]$ ligand. *Journal of Organometallic Chemistry* (2003), 684(1-2), 6-12.

Brunner, Henri; Zettler, Christian; Zabel, Manfred. Asymmetric catalysis. Part 149. Synthesis of new chiral tridentate ligands for enantioselective

catalysis. *Monatshefte fuer Chemie* (2003), 134(9), 1253-1269.

Brunner, Henri; Cattey, Helene; Meier, Walter; Mugnier, Yves; Stueckl, A. Claudia; Wachter, Joachim; Wanninger, Robert; Zabel, Manfred. Preparative and electrochemical investigations on the electron sponge behavior of cobalt telluride clusters: CO substitution in $[\text{Co}_{11}\text{Te}_7(\text{CO})_{10}]^{n-}$ ions ($n = 1, 2$) by PMe_2Ph and crystal structure of $[\text{Co}_{11}\text{Te}_7(\text{CO})_5(\text{PMe}_2\text{Ph})_5]$. *Chemistry - A European Journal* (2003), 9(16), 3796-3802.

Brunner, Henri; Weber, Matthias; Zabel, Manfred. $[(\text{Cy})\text{Ru}(\text{LL}^*)\text{Cl}]$ and related half-sandwich compounds - two diastereomers in the same single crystal. *Coordination Chemistry Reviews* (2003), 242(1-2), 3-13.

Brunner, Henri; Kubicki, Marek M.; Lange, Andreas; Wachter, Joachim; Vigier, Estelle; Zabel, Manfred. $\mu, \eta^{2:2}\text{-SbS}$: An antimony-containing heterodiatomous ligand from Group 15 and 16 elements. *Angewandte Chemie, International Edition* (2003), 42(30), 3547-3549.

Brunner, Henri; Baur, Markus A. Asymmetric catalysis, 152. α -Amino acid derivatives by enantioselective decarboxylation. *European Journal of Organic Chemistry* (2003), (15), 2854-2862.

Bart, Karl-Christian; Bernhardt, Guenther; Brunner, Henri; Lottner, Christian. Preparation of novel, water-soluble porphyrin platinum amine compounds with high tumor selectivity and their use for the treatment of benign and malignant tumor diseases. *PCT Int. Appl.* (2003), 25 pp.

Brunner, Henri; Kagan, Henri B.; Kreuzer, Georg. Asymmetric catalysis. Part 153: Metal-catalysed enantioselective α -ketol rearrangement. *Tetrahedron: Asymmetry* (2003), 14(15), 2177-2187.

Brunner, Henri; Koellnberger, A.; Zabel, Manfred. Optically active transition metal complexes. Part 133. Preparation, epimerization and crystallization of chiral-at-metal rhodium(III) half-sandwich complexes. *Polyhedron* (2003), 22(18), 2639-2646.

Brunner, Henri; Zettler, Christian; Zabel, Manfred. Asymmetric catalysis. 151. Wilkinson-type $[\text{Rh}(\text{diop})(\text{PPh}_3\text{Hal})]$ catalysts in the enantioselective hydrogenation of ketopantolactone. *Zeitschrift fuer Anorganische und Allgemeine Chemie* (2003), 629(7-8), 1131-1135.

Brunner, Henri; Henning, Frauke; Weber, Matthias; Zabel, Manfred; Carmona, Daniel; Lahoz, Fernando J. Enantioselective catalysis; 150: Chiral-at-metal ($\eta^6\text{-p-cymene}$)ruthenium(II) complexes of binaphthyl ligands - synthesis, characterization, and enantioselective catalysis. *Synthesis* (2003), (7), 1091-1099.

Brunner, Henri; Weber, Matthias; Zabel, Manfred; Zwack, Thomas. Inverted piano stools: A molecular recognition motif that enforces 1:1 cocrystallization of two diastereomers in the same single crystal. *Angewandte Chemie, International Edition* (2003), 42(16), 1859-1862.

Brunner, Henri; Schoenherr, Maximilian; Zabel, Manfred. Enantioselective catalysis. Part 148: Carbohydrate-derived oxime ethers stable towards hydrolysis - syntheses of ligands and complexes and a study of their catalytic properties. *Tetrahedron: Asymmetry* (2003), 14(9), 1115-1122.

Brunner, Henri; Zwack, Thomas; Zabel, Manfred; Beck, Wolfgang; Boehm, Andreas. Optically Active Transition Metal Complexes. 130. Synthesis, Crystal Structures, and Catalytic Properties of Chiral-at-Metal (η^6 -Arene)ruthenium(II) and (η^6 -Arene)osmium(II) Half-Sandwich Complexes. Crystallization of Pure Diastereomers versus Diastereomer Mixtures in a 1:1 Ratio. *Organometallics* (2003), 22(8), 1741-1750.

Brunner, Henri; Ittner, Karl-Peter; Lunz, Dirk; Schmatloch, Stefan; Schmidt, Thomas; Zabel, Manfred. Enantioselective catalyses. 146. Highly enriched mixtures of methohexital stereoisomers by palladium-catalyzed allylation and their anaesthetic activity. *European Journal of Organic Chemistry* (2003), (5), 855-862.

Brunner, Henri; Zwack, Thomas; Zabel, Manfred. Optically active transition metal complexes. Part 131. Synthesis and epimerization of chiral-at-metal (η^6 -arene)ruthenium(II) and (η^6 -arene)osmium(II) half-sandwich complexes. *Polyhedron* (2003), 22(6), 861-865.

Brunner, Henri; Lange, Andreas; Wachter, Joachim; Zabel, Manfred. Synthesis and molecular structure of $[(C_5Me_5)_3Co_3(\mu^3-S)(\mu^3-SbS_4)]$, a tricobalt complex with the tripodal γ - SbS_4 -ligand. *Journal of Organometallic Chemistry* (2003), 665(1-2), 214-217.

Brunner, Henri; Klankermayer, Juergen; Zabel, Manfred. Optically Active Transition Metal Complexes. 129. Novel Cycloheptatrienyl-Molybdenum and Cyclopentadienyl-Ruthenium Complexes with Chiral Pyridinecarbaldiminato Chelate Ligands: Syntheses, Molecular Structures, Properties, and Stereochemistry at the Metal Atom. *Organometallics* (2002), 21(26), 5746-5756.

Brandl, Martin; Brunner, Henri; Cattey, Helene; Mugnier, Yves; Wachter, Joachim; Zabel, Manfred. Synthesis, reactivity and structures of ruthenium carbonyl clusters with telluride and hydride ligands. *Journal of Organometallic Chemistry* (2002), 659(1-2), 22-28.

Brunner, Henri; Klankermayer, Juergen; Zabel, Manfred. Synthesis, stereochemistry and molecular structures of chiral-at-metal (cycloheptatrienyl)molybdenum complexes containing the diphosphane prophos. *European Journal of Inorganic Chemistry* (2002), (11), 3047.

Brunner, Henri; Klankermayer, Juergen; Zabel, Manfred. Optically active transition metal complexes. 128 Synthesis, characterization and molecular structures of cycloheptatrienyl-iminphos-molybdenum complexes differing only in the metal configuration. *Zeitschrift fuer Anorganische und*

Allgemeine Chemie (2002), 628(11), 2264-2268.

Brunner, Henri; Dormeier, Stephan; Grau, Ilias; Zabel, Manfred. Enantioselective catalysis, 145. Dinuclear and trinuclear Ni-, Pd-, and Pt-halide complexes of the easily accessible chiral ligand P,P,P'-tris[(+)-9-phenyldeltacyclan-8-yl]-1,2-bis(phosphanyl)benzene. European Journal of Inorganic Chemistry (2002), (10), 2603-2613.

Brunner, Henri; Dormeier, Stephan; Zabel, Manfred. Enantioselective catalysis, 144. Stereochemical exploitation of the chiral (+)-9-phenyldeltacyclanyl substituent in diphosphanes and their Ni, Pd and Pt complexes. European Journal of Inorganic Chemistry (2002), (10), 2594-2602.

Brunner, Henri. Hydrogenation. Applied Homogeneous Catalysis with Organometallic Compounds (2nd Edition). Wile-VCH (2002), 195-212.

Brunner, Henri; Klankermayer, Juergen; Zabel, Manfred. Optically active transition metal complexes, 127. Synthesis, stereochemistry and molecular structures of chiral-at-metal (cycloheptatrienyl)molybdenum complexes containing the diphosphane prophos. European Journal of Inorganic Chemistry (2002), (9), 2494-2501.

Brunner, Henri. Right or left - enantioselective catalysis. New Ni, Pd and Pt phosphane complexes with the chiral 9-phenyldeltacyclanyl substituent. Current Organic Chemistry (2002), 6(5), 441-451.

Brunner, Henri; Schellerer, Karl-Martin. Double porphyrin platinum conjugates. Zeitschrift fuer Naturforschung, B: Chemical Sciences (2002), 57(7), 751-756.

Brunner, Henri; Schellerer, Karl-Martin. Benzoporphyrins and acetylene-substituted porphyrins as improved photosensitizers in the photodynamic tumor therapy with porphyrin platinum conjugates. Monatshefte fuer Chemie (2002), 133(5), 679-705.

Brunner, Henri; Cattey, Helene; Evrard, David; Kubicki, Marek M.; Mugnier, Yves; Vigier, Estelle; Wachter, Joachim; Wanninger, Robert; Zabel, Manfred. Bis(η -tert-butylcyclopentadienyl)hydridoniobium ditelluride, a convenient reagent for the synthesis of polynuclear metal telluride complexes. European Journal of Inorganic Chemistry (2002), (6), 1315-1325.

Brandl, Martin; Brunner, Henri; Wachter, Joachim; Zabel, Manfred. Rotational versus Migration Isomerism in $[(\text{tBuC}_5\text{H}_4)_2\text{NbH}(\mu^3\text{-Te})(\mu^4\text{-Te})\text{Fe}_2(\text{CO})_6]\cdot\text{Cr}(\text{CO})_5$], a Sterically Crowded Polymetallic Telluride Complex. Organometallics (2002), 21(14), 3069-3072.

Brunner, Henri; Niemetz, Markus. Enantioselective catalysis, CXLI. Tridentate ligands with 1-(pyridin-2-yl)ethylamine as chiral building block in the enantioselective transfer hydrogenation of acetophenone. Monatshefte fuer Chemie (2002), 133(2), 115-126.

Lottner, Christian; Bart, Karl-Christian; Bernhardt, Guenther; Brunner, Henri. Soluble Tetraarylporphyrin-Platinum Conjugates as Cytotoxic and Phototoxic Antitumor Agents. *Journal of Medicinal Chemistry* (2002), 45(10), 2079-2089.

Lottner, Christian; Bart, Karl-Christian; Bernhardt, Guenther; Brunner, Henri. Hematoporphyrin-Derived Soluble Porphyrin-Platinum Conjugates with Combined Cytotoxic and Phototoxic Antitumor Activity. *Journal of Medicinal Chemistry* (2002), 45(10), 2064-2078.

Brunner, Henri; Henning, Frauke; Weber, Matthias. Enantioselective catalysis. Part 143: Astonishingly high enantioselectivity in the transfer hydrogenation of acetophenone with 2-propanol using Ru complexes of the Schiff base derived from (S)-2-amino-2'-hydroxy-1,1'-binaphthyl (NOBIN) and 2-pyridinecarbaldehyde. *Tetrahedron: Asymmetry* (2002), 13(1), 37-42.

Brunner, Henri. In situ catalysts in enantioselective organic transformations. *Synthetic Methods of Organometallic and Inorganic Chemistry* (2002), 10, 72-77.

Brunner, Henri; Mijolovic, Darijo; Zabel, Manfred. Asymmetric catalysis; 138: Synthesis of enantiomerically pure 2-pyridinyl- α -ethanols via diastereomeric camphanic esters. *Synthesis* (2001), (11), 1671-1680.

Brunner, Henri. Narcotic drug methohexital: Synthesis by enantioselective catalysis. *Chirality* (2001), 13(8), 420-424.

Brunner, Henri; Stueckl, A. Claudia; Wachter, Joachim; Wanninger, Robert; Zabel, Manfred. $[(tBuC_5H_4)_2Nb(CO)]_3Co_9(CO)_8Te_6 \cdot 3Cr(CO)_5$: unusual stabilization of a cubic body-centered metal telluride cluster by peripheral complex fragments. *Angewandte Chemie, International Edition* (2001), 40(13), 2463-2465.

Brunner, Henri. The DNA double helix - right handed, left handed. *Nachrichten aus der Chemie* (2001), 49(6), 760-762.

Brunner, Henri; Wachter, Joachim; Wanninger, Robert; Zabel, Manfred. Synthesis and X-ray structure of $[(Cp'_2Nb)_2WTe_4]W(CO)_4 \cdot 1.5C_7H_8$, the first organometallic derivative of the WTe_4^{2-} anion, and of $[Cp'_4Nb_2Te_2]$ ($Cp' = \eta^5-tBuC_5H_4$). *European Journal of Inorganic Chemistry* (2001), (5), 1151-1154.

Brunner, Henri; Apfelbacher, Andreas; Zabel, Manfred. Enantioselective catalysts, 136. Palladium and rhodium complexes with planar-chiral carborane ligands. *European Journal of Inorganic Chemistry* (2001), (4), 917-924.

Brunner, Henri. Stability of the metal configuration in chiral-at-metal half-sandwich compounds. *European Journal of Inorganic Chemistry* (2001), (4), 905-912.

Blacque, Olivier; Brunner, Henri; Kubicki, Marek M.; Leis, Franz; Lucas, Dominique; Mugnier, Yves; Nuber, Bernhard; Wachter, Joachim. Structural rearrangements in triple-decker-like complexes with mixed group 15/16 ligands: synthesis and characterization of the redox couple $[\text{Cp}^*_2\text{Fe}_2\text{As}_2\text{Se}_2]/[\text{Cp}^*_2\text{Fe}_2\text{As}_2\text{Se}_2]^+$ ($\text{Cp}^* = \text{C}_5\text{Me}_5$). *Chemistry - A European Journal* (2001), 7(6), 1342-1349.

Babbar, Preeti; Brunner, Henri; Singh, Udai P. Synthesis of optically active hydrotrispyrazolylborate ligand and its uses in copper catalyzed enantioselective cyclopropanation reaction. *Indian Journal of Chemistry, Section A: Inorganic, Bio-inorganic, Physical, Theoretical & Analytical Chemistry* (2001), 40A(3), 225-227.

Brunner, Henri (η^5 -Cyclopentadienyl)(μ -nitrosyl)cobalt](Co-Co). *e-EROS Encyclopedia of Reagents for Organic Synthesis* (2001).

Brunner, Henri. Tris(acetylacetonato)cobalt-Diethylaluminum-Chloride-NORPHOS. *e-EROS Encyclopedia of Reagents for Organic Synthesis* (2001).

Brunner, Henri; Maier, Reinhard J.; Zabel, Manfred. Asymmetric catalysis; 140. Tris(2-pyridyl)methane derivatives with a chiral bridging atom. *Synthesis* (2001), (16), 2484-2494.

Brunner, Henri; Schoenherr, Maximilian; Zabel, Manfred. Enantioselective catalysis. Part 142: Carbohydrate-derived oxime ethers from functionalized aldehydes and O- β -D-glucopyranosylhydroxylamine - new C:N ligands stable towards hydrolysis. *Tetrahedron: Asymmetry* (2001), 12(19), 2671-2675.

Brunner, Henri; Maier, Reinhard J.; Zabel, M. Enantioselective catalysis, 139. A chiral cyclic amidine containing a pyridine substituent - synthesis, coordination chemistry, catalysis. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (2001), 56(10), 975-978.

Blacque, Oliver; Brunner, Henri; Kubicki, Marek M.; Leblanc, Jean-Claude; Meier, Walter; Moise, Claude; Mugnier, Yves; Sadorge, Andre; Wachter, Joachim; Zabel, Manfred. Investigation into the reactivity of oxoniobocene complexes $[\text{Cp}^*_2\text{Nb}(\text{:O})\text{R}]$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$; $\text{R} = \text{H}, \text{OH}, \text{OMe}$) towards heterocumulenes: formation of carbamato and thiocarbamato complexes and catalytic cyclization of PhNCO. *Journal of Organometallic Chemistry* (2001), 634(1), 47-54.

Brunner, Henri; Hollman, Andrea; Nuber, Bernhard; Zabel, Manfred. $[\text{Cp}_2\text{MoH}_2]$ -silver complexes with pseudohalide ligands. *Journal of Organometallic Chemistry* (2001), 633(1-2), 1-6.

Brunner, Henri; Hollman, Andrea; Zabel, Manfred. Monomeric, dimeric and polymeric $[\text{Cp}_2\text{MoH}_2]$ complexes with Ag-S bonds. *Journal of Organometallic Chemistry* (2001), 630, 169-176.

Brunner, Henri; Hausmann, F.; Krieg, R. C.; Endlicher, E.; Schölmerich, J.; Knuechel, Ruth; Messmann H. The Effects of 5-Aminolaevulinic Acid Esters on Protoporphyrin IX Production in Human Adenocarcinoma Cell Lines. *Photochemistry and Photobiology* (2001), 74(5), 721-725.

Brunner, Henri; Kagan, Henri B.; Kreutzer, Georg. Asymmetric catalysis. Part 137: Nickel catalysed enantioselective α -ketol rearrangement of 1-benzoylcycloalkanols. *Tetrahedron: Asymmetry* (2001), 12, 497-499-

Brunner, Henri; Leis, Franz; Wachter, Joachim; Zabel, Manfred. Cyclopentadienylcobalt complexes containing sulfosalt units: Synthesis and structure of $[(C_5Me_4Et)_3Co_3AsS_5]I$ and $[(C_5Me_4Et)_3Co_3AsSe_5][Cr(CO)_5]I$. *Journal of Organometallic Chemistry* (2001), 634(1), 47-54.

Doyle, Michael P.; Timmons, D. J.; Arndt, Markus M. R.; Duursma, A.; Colyer, J. T.; Brunner, Henri. First attempts at differential diastereoselection in catalytic reactions of N-chirality substituted dirhodium(ii) tetrakis[methyl-2-oxoimidazolidine-4(S)-carboxylates] with diazoacetates. *Russian Chemical Bulletin, International Edition* (2001), 50, 2156-2161.

Brunner, Henri. Chirality and art - ropes and twisted strings in paintings. *Enantiomer* (2000), 5(6), 545-547.

Brunner, Henri; Rosenboem, Sabine. Enantioselective catalyses. Part CXXXV. Stereoselective hydrogenation of folic acid and 2-methylquinoxaline with optically active rhodium(I)-phosphine complexes. *Monatshefte fuer Chemie* (2000), 131(12), 1371-1382.

Brunner, Henri; Stoehr, Frank. Asymmetric catalysis, 132. Metal-catalyzed enantioselective α -ketol rearrangements. *European Journal of Organic Chemistry* (2000), (15), 2777-2786.

Brunner, Henri; Wachter, Joachim; Wanninger, Robert; Zabel, Manfred. Synthesis and molecular structure of $[Fe_3(\mu^2-H)(\mu^3-Te)(CO)_9][Cp^{\#}_2Nb(CO)_2]$ ($Cp^{\#} = C_5Me_5, C_5Me_4Et$). *Journal of Organometallic Chemistry* (2000), 603(2), 135-137.

Brunner, Henri; Schmidt, Peter. Asymmetric catalysis, 131. Naproxen derivatives by enantioselective decarboxylation. *European Journal of Organic Chemistry* (2000), (11), 2119-2133.

Brunner, Henri; Klankermayer, Juergen; Zabel, Manfred. Optically active transition-metal complexes Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]ferrocenophanes - synthesis, characterization and ring-opening polymerization. *Journal of Organometallic Chemistry* (2000), 601(2), 211-219.

Brunner, Henri; Schmidt, Peter. Asymmetric catalysis. Part 134. Naproxen derivatives by enantioselective decarboxylation. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (2000), 55(5), 369-372.

Brunner, Henri; Schmidt, Peter; Prommesberger, Markus. Enantioselective catalysis. Part 133. Conformational analysis of amides of 9-amino(9-deoxy)epicinchonine. *Tetrahedron: Asymmetry* (2000), 11(7), 1501-1512.

Brunner, Henri; Zwack, Thomas. Optically Active Transition Metal Complexes. 126. ortho-Metalated Chiral-at-Metal Half-Sandwich (η^6 -Arene)ruthenium Complexes Are Configurationally More Labile at the Metal Center than Described: Correction of Published Papers. *Organometallics* (2000), 19(13), 2423-2426.

Brunner, Henri; Stefaniak, Stefan; Zabel, Manfred. Enantioselective catalysis. Part 130. Optically active expanded ligands based on the trans-1,2-substituted cyclopentane skeleton. [Erratum to document cited in CA132:23018]. *Synthesis* (2000), (3), 478.

Brunner, Henri; Niemetz, Markus; Zabel, Manfred. Optically active transition metal complexes. Part 122. Synthesis of palladium(II) complexes with Schiff base ligands. Intramolecular interactions. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (2000), 55(2), 145-154.

Brunner, Henri; Lucas, Dominique; Monzon, Teresa; Mugnier, Yves; Nuber, Bernhard; Stubenhofer, Bernhard; Stueckl, A. Claudia; Wachter, Joachim; Wanninger, Robert; Zabel, Manfred. Metal telluride clusters composed of niobocene carbonyl, telluride, and cobalt carbonyl units: syntheses, structures, and reactivity. *Chemistry - A European Journal* (2000), 6(3), 493-503.

Brunner, Henri; Valerio, Christine; Zabel, Manfred. Optically active transition metal complexes. Part 123. New chiral half-sandwich ruthenium complexes, in which the arene ligand is tethered to a PN ligand. *New Journal of Chemistry* (2000), 24, 275-279.

Brunner, Henri; Köllnberger, Andreas; Burgemeister, Thomas; Zabel, Manfred. Optically active transition metal complexes. Part 125. Preparation and epimerization of chiral-at-metal pentamethylcyclopentadienyl-rhodium(III) and iridium(III) half-sandwich complexes. *Polyhedron* (2000), 1519-1526.

Brunner, Henri. *Rechts oder links in der Natur und anderswo*. Wiley-VCH, Weinheim (1999).

Brunner, Henri; Stefaniak, Stefan; Zabel, Manfred. Enantioselective catalysis. Part 130. Optically active expanded ligands based on the trans-1,2-substituted cyclopentane skeleton. *Synthesis* (1999), (10), 1776-1784.

Brunner, Henri; Spitzer, Josef; Nuber, Bernhard. Optically active transition metal complexes, 121. Synthesis and molecular structure of a Δ -bis(2,2'-bipyridine)ruthenium(II) complex containing an optically active 2-pyridineimine ligand. *Enantiomer* (1999), 4(2), 91-96.

Brunner, Henri; Mijolovic, Darijo; Wrackmeyer, Bernd; Nuber, Bernhard. NMR analysis of trinuclear silver(I) complexes with μ^2 -H bridged Group VI metallocene hydrides as ligands and X-ray structure analysis of $\{[(\eta^5\text{-MeC}_5\text{H}_4)_2(\mu^2\text{-H})_2]_2\text{Ag}\}\text{PF}_6$. *Journal of Organometallic Chemistry* (1999), 579(1-2), 298-303.

Brunner, Henri; Faustmann, Peter; Nuber, Bernhard. Complete carbonyl substitution in tricarbonylnitrosylcobalt. *Journal of Organometallic Chemistry* (1999), 579(1-2), 1-4.

Brunner, Henri; Spitzer, Josef. Optically active transition metal complexes. Part 120. New ruthenium(II) complexes containing two different types of optically active ligands. *Monatshefte fuer Chemie* (1999), 130(5), 605-612.

Brunner, Henri. Optically active organometallic compounds of transition elements with chiral metal atoms. *Angewandte Chemie, International Edition* (1999), 38(9), 1194-1208.

Brunner, Henri; Mijolovic, Darijo. Enantioselective catalysis. Part 129. A new rhodium(I) complex with a μ^2 -H bridged Cp_2WH_2 ligand. *Journal of Organometallic Chemistry* (1999), 577(2), 346-350.

Brunner, Henri; Kubicki, Marek M.; Leblanc, Jean-Claude; Meier, Walter; Moise, Claude; Sadorge, Andre; Stubenhofer, Bernhard; Wachter, Joachim; Wanninger, Robert. Metallocenes of Nb and Ta with η^2 - Se_2H , SeH , and Se ligands. Crystal structures of $[\text{Cp}_2\text{Ta}(\text{SeH})\text{H}_2]$ and $[\text{Cp}'_2\text{Ta}(\text{:Se})\text{H}\cdot\text{W}(\text{CO})_5]$ ($\text{Cp}' = \text{tBuC}_5\text{H}_4$). *European Journal of Inorganic Chemistry* (1999), (5), 843-848.

Brunner, Henri; Muschiol, Manfred; Neuhierl, Thomas; Nuber, Bernhard. Copper complexes with the ligand $[\text{Cp}_2\text{MoH}_2]$. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (1999), 54(3), 337-340.

Brunner, Henri; Krumei, Christian. Enantioselective catalysis. Part 124. Enantioselective Michael reaction catalyzed by optically active transition metal complexes. *Journal of Molecular Catalysis A: Chemical* (1999), 142(1), 7-15.

Brunner, Henri; Deml, Irmgard; Dirnberger, Wolfgang; Ittner, Karl-Peter; Reisser, Walter; Zimmermann, Markus. Asymmetric catalysis. Part 125. Synthesis of the stereoisomers of Methohexital by palladium-catalyzed allylation. *European Journal of Inorganic Chemistry* (1999), (1), 51-59.

Brunner, Henri; Olschewski, Georg; Nuber, Bernd. Enantioselective catalysis. Part 126. Axially chiral N,N-ligands with binaphthyl/bipyridinyl structure. *Synthesis* (1999), 429-434.

Brunner, Henri; Leis, Franz; Nuber, Bernd; Wachter, Joachim. As/Se-units as building blocks in cobalt complexes containing the C₅Me₄Et ligand. Crystal structure of (η^5 -C₅Me₄Et)Co(η^4 -As₆Se). *Polyhedron* (1999), 18, 347-350.

Brunner, Henri. 50 Jahre Stereochemie. *Nachrichten aus Chemie, Technik und Laboratorium* (1999), 47, 967-968.

Brunner, Henri; Leis, Franz; Nuber, Bernhard; Wachter, Joachim. As/Se-units as building blocks in cobalt complexes containing the C₅Me₄Et ligand. Crystal structure of (η^5 -C₅Me₄Et)Co(η^4 -As₆Se). *Polyhedron* (1998), Volume Date 1999, 18(3-4), 347-350.

Brunner, Henri; Tracht, Torsten. Asymmetric catalysis. Part 128: diastereomeric rhodium(I) complexes in the enantioselective hydrogenation of ketopantolactone. *Tetrahedron: Asymmetry* (1998), 9(21), 3773-3780.

Brunner, Henri; Nuber, Bernhard; Tracht, Torsten. Optically active transition metal complexes. Part 119: New rhodium(I) complexes containing two different types of optically active ligands. *Tetrahedron: Asymmetry* (1998), 9(21), 3763-3771.

Brunner, Henri; Neuhierl, Thomas; Nuber, Bernhard. Optically active transition metal complexes. Part 118. Unusual crystal structures of (R_{Ru},R_C/SRu,RC)-(η^6 -p-cymene)Ru complexes. Diastereomers with opposite configuration at the metal center in the unit cell. *European Journal of Inorganic Chemistry* (1998), (12), 1877-1881.

Brunner, Henri; Brey, Josef; Faustmann, Peter. Optically active transition metal compounds. 116. Bond lengths Co-C(CO), Co-N(NO) and angles L-Co-C(CO), L-Co-N(NO) in tetrahedral complexes. *European Journal of Inorganic Chemistry* (1998), (12), 1871-1876.

Brunner, Henri; Prommesberger, Markus. Asymmetric catalysis. Part 127. Enantioselective desymmetrization of 2-n-butyl-4,7-dihydro-1,3-dioxepin with (η^6 -arene)ruthenium(II) half-sandwich complexes. *Tetrahedron: Asymmetry* (1998), 9(18), 3231-3239.

Brunner, Henri; Nuber, Bernhard; Prommesberger, Markus. Optically active transition metal complexes. Part 117. Synthesis, crystal structure and properties of chiral (η^6 -arene)ruthenium complexes with N,O- and N,N-ligands. *Tetrahedron: Asymmetry* (1998), 9(18), 3223-3229.

Brunner, Henri. Hydrosilylations of carbonyl compounds. *Transition Metals for Organic Synthesis* (1998), 2 131-140.

Brunner, Henri; Leblanc, Jean-Claude; Lucas, Dominique; Meier, Walter; Moise, Claude; Mugnier, Yves; Nuber, Bernd; Rigny, Sandrine; Sadorge, Andre; Wachter, Joachim. Syntheses and reactivity of oxo niobocene complexes Cp*₂Nb(:O)X (X = H, OMe) and crystal structures of [Cp*₂Nb(OH)F]BF₄ and Cp*₂Nb(:O)OC(O)H (Cp* = η^5 -C₅Me₅). *Journal of Organometallic Chemistry* (1998), 566(1-2), 203-210.

Brunner, Henri; Neuhierl, Thomas; Nuber, Bernhard. Optically active transition metal complexes. Part 115. Synthesis, crystal structure and properties of chiral ($\eta^5\text{-C}_5\text{H}_5$)Ru complexes with pyrrolocarbaldiminato and salicylaldiminato ligands. *Journal of Organometallic Chemistry* (1998), 563(1-2), 173-178.

Blacque, Olivier; Brunner, Henri; Kubicki, Marek M.; Lucas, Dominique; Meier, Walter; Mugnier, Yves; Nuber, Bernd; Stubenhofer, Bernhard; Wachter, Joachim. Syntheses and properties of tetrathio- and tetraseleno metalates $[(\text{C}_5\text{Me}_4\text{R})_2\text{NbE}_2]_2\text{M}$ (E = S, Se; M = Cr, Mo; R = Me, Et) with peripheric niobocene ligands. *Journal of Organometallic Chemistry* (1998), 564(1-2), 71-79.

Brunner, Henri; Faustmann, Peter; Nuber, Bernhard. Optically active transition metal compounds. 113. Synthesis of chiral carbonylnitrosylcobalt complexes with four different unidentate ligands. *Journal of Organometallic Chemistry* (1998), 556(1-2), 129-140.

Brunner, Henri; Stoeriko, Reinhard. Asymmetric catalysis. Part 118. Rhodium(I)-catalyzed asymmetric hydrosilylation using new oxazoline ligands with potential charge-transfer properties. *European Journal of Inorganic Chemistry* (1998), (6), 783-788.

Brunner, Henri; Stoeriko, Reinhard; Rominger, Frank. Asymmetric catalysis. Part 117. Novel chiral oxazoline ligands for potential charge-transfer effects in the Rh(I)-catalyzed enantioselective hydrosilylation. *European Journal of Inorganic Chemistry* (1998), (6), 771-781.

Brunner, Henri; Winter, Andreas; Breu, Josef. Enantioselective catalysis. Part 114. Chirostructural analysis of bis(diphenylphosphanyl)ethane transition metal chelates. *Journal of Organometallic Chemistry* (1998), 553(1-2), 285-306.

Brunner, Henri; Stoeriko, Reinhard; Nuber, Bernhard. Enantioselective catalysis. Part 119: New chiral 2-(2-pyridinyl)oxazoline ligands containing an additional optically active substituent in the pyridine system. [Erratum to document cited in CA128:257361]. *Tetrahedron: Asymmetry* (1998), 9(8), 1277.

Brunner, Henri; Winter, Andreas; Nuber, Bernhard. Optically active transition metal compounds. 114. The complexes ($\eta^3\text{-C}_{27}\text{H}_{33}\text{N}_3$)CuCl₂ and ($\eta^3\text{-C}_{27}\text{H}_{33}\text{N}_3$)M(CO)₃ (M = Cr, Mo, W) containing the ligand C₂₇H₃₃N₃ = N,N',N''-tris[(S)-1'-phenylethyl]hexahydro-1,3,5-triazine. *Journal of Organometallic Chemistry* (1998), 558(1-2), 213-218.

Brunner, Henri; Hassler, Bernd. Enantioselective catalysis. Part 120. New optically active pyrrolyloxazolines. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (1998), 53(4), 476-480.

Brunner, Henri; Rueckert, Tanja. Enantioselective catalysis. Part 121.

Chiral phosphine ligands with additional oxygen functionalities.
Monatshefte fuer Chemie (1998), 129(4), 339-354.

Brunner, Henri; Stoeriko, Reinhard; Nuber, Bernhard. Enantioselective catalysis. Part 119: New chiral 2-(2-pyridinyl)oxazoline ligands containing an additional optically active substituent in the pyridine system.
Tetrahedron: Asymmetry (1998), 9(3), 407-422.

Brunner, Henri; Hassler, Bernd. Enantioselective catalysis. Part 122. Synthesis of new optically active (3,5-dinitrosalicyl)oxazolines.
Zeitschrift fuer Naturforschung, B: Chemical Sciences (1998), 53(1), 126-128.

Brunner, Henri; Muschiol, Manfred; Neuhierl, Thomas; Nuber, Bernhard. Silver(I) complexes with $[(C_5H_5)_2MoH_2]$ and $[(C_5H_5)_2WH_2]$ ligands.
Chemistry - A European Journal (1998), 4(1), 168-171.

Brunner, Henri; Deml, Irmgard; Dirnberger, Wolfgang; Nuber, Bernd; Reisser, Walter. Asymmetric catalysis. Part 115. Enantioselective palladium-catalyzed allylation of 1,5-dimethylbarbituric acid. *European Journal of Inorganic Chemistry* (1998), (1), 43-54.

Brunner, Henri; Janura, Markus; Stefaniak, Stefan. Octaaldehyde type chelating ligands – a divergent synthesis approach to easily tunable expanded ligands for enantioselective catalysis. *Synthesis* (1998), 1742-1749.

Brunner, Henri; Winter, Andreas; Nuber, Bernhard. Asymmetric catalysis. Part 116. Triaza and tetraaza macrocycles with chiral pendant arms in the enantioselective cyclopropanation. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (1997), 52(11), 1436-1438.

Brunner, Henri; Bluechel, Christian; Doyle, Michael P. Asymmetric catalysis. Part 108. Copper catalysts with optically active ligands in the enantioselective Meerwein arylation of activated olefins. *Journal of Organometallic Chemistry* (1997), 541(1-2), 89-95.

Brunner, Henri; Leis, Franz; Wachter, Joachim; Nuber, Bernhard. Influence of Coordinated $Cr(CO)_5$ Groups on the Fragmentation of Realgar: Synthesis and Characterization of the Novel Mixed Zintl Ion Complex $(C_5Me_4Et)Co(\eta^4-As_6S)$.
Organometallics (1997), 16(23), 4954-4955.

Brunner, Henri; Reimer, Alfred. Enantioselective catalysis. Part 111. New chiral expanded phosphines derived from substituted deltatcyclenes.
Chemische Berichte/Recueil (1997), 130(10), 1495-1498.

Brunner, Henri; Faustmann, Peter; Dietl, Andreas; Nuber, Bernhard. Optically active transition metal compounds. 112. Synthesis of chiral carbonylnitrosylcobalt complexes with bidentate PP, PN and NN ligands.
Journal of Organometallic Chemistry (1997), 542(2), 255-263.

Challet, Sylvine; Blacque, Olivier; Gehart, Guenther; Kubicki, Marek M.;

Leblanc, Jean-Claude; Moise, Claude; Brunner, Henri; Wachter, Joachim. Synthesis of $\text{Cp}'_2\text{Ta}(\text{SH})\text{H}_2$ from $\text{Cp}'_2\text{Ta}(\text{:S})\text{H}$ ($\text{Cp}' = \eta^5\text{-tBuC}_5\text{H}_4$) and its application in the preparation of new hydrosulfido-bridged heterobimetallic complexes. *New Journal of Chemistry* (1997), 21(8), 903-908.

Brunner, Henri. New "sequence rules" - higher priority of J. Am. Chem. Soc. versus other journals and of English versus other languages? *Enantiomer* (1997), 2(2), 133-134.

Brunner, Henri; Poleschak, Ingo. Enantioselective catalysis. Part 109. New expanded chiral bipyridines. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (1997), 52(7), 839-846.

Brunner, Henri; Reimer, Alfred. Enantioselective catalysis. 107: New optically active deltacyclenes as building blocks for the synthesis of expanded phosphanes. *Bulletin de la Societe Chimique de France* (1997), 134(3 & 4), 307-314.

Brunner, Henri; Opitz, Dieter. Enantioselective catalysis. Part 102. Epimerization of glucose and mannose in the presence of nickel(II) complexes of optically active ligands. *Journal of Molecular Catalysis A: Chemical* (1997), 118(3), 273-282.

Blacque, Olivier; Brunner, Henri; Kubicki, Marek M.; Nuber, Bernhard; Stubenhofer, Bernhard; Wachter, Joachim; Wrackmeyer, Bernd. Coordinative stabilization of cyclo-tetratellurium as $[\text{Te}_4\{\text{Cr}(\text{CO})_5\}_4]$: the first organometallic derivative of a tellurium allotrope. *Angewandte Chemie, International Edition in English* (1997), 36(4), 352-353.

Brunner, Henri; Nuber, Bernhard; Poll, Ludwig; Roidl, Gaby; Wachter, Joachim. Novel inorganic cage structures based on AsS ligands and cyclopentadienylruthenium groups. *Chemistry - A European Journal* (1997), 3(1), 57-61.

Terfort, Andreas; Goerls, Helmar; Brunner, Henri. The first helical-chiral phosphine ligands, rac-[5]- and rac-[6]-heliphos. *Synthesis* (1997), (1), 79-86.

Brunner, Henri; Bublak, Petra; Helget, Martina. Asymmetric catalysis. Part 105. Stereoselective hydrogenation of folic acid with immobilized optically active rhodium(I)/diphosphine catalysts. *Chemische Berichte/Recueil* (1997), 130(1), 55-61.

Brunner, Henri; Schellerer, Karl-Martin; Treitinger, Barbara. Synthesis and in vitro testing of hematoporphyrin type ligands in platinum(II) complexes as potent cytostatic and phototoxic antitumor agents. *Inorganica Acta* (1997), 264, 67-79.

Brunner, Henri; Bügler, Jürgen. Enantioselective catalysis. Part 106. 9-Amino(9-deoxy)cinchona-Alkaloide und deren Derivate. *Bulletin des Societes Chimiques Belges* (1997), 106, 77-84.

Brunner, Henri; Reimer, Alfred. Enantioselective catalysis. Part 112. Neue chirale tertiäre Alkohole auf Deltacyclenbasis als Vorstufen für Hydroperoxide. *Bulletin des Societes Chimiquise Belges* (1997), 106, 267-272.

Brunner, Henri; Rückert, Tanja. Enantioselective catalysis. Part 110. New chiral phosphanes derived from substituted quinolines. *Synthesis* (1997), 1309-1314.

Brunner, Henri; Janura, Markus. Enantioselective catalysis. Part 113. New menthylphosphane ligands differing in steric and electronic properties. *Synthesis* (1997), 45-55.

Brunner, Henri. Hydrogenation. *Applied Homogeneous Catalysis with Organometallic Compounds*. Wiley-VCH (1996), 1, 201-219.

Brunner, Henri; Wagenhuber, Ludwig. Asymmetric catalysis. 104. Double stereoselection in rhodium catalysts in the enantioselective hydrogenation of (Z)- α -N-acetamidocinnamic acid. *Journal of Organometallic Chemistry* (1996), 525(1-2), 259-268.

Brunner, Henri; Buegler, Juergen; Nuber, Bernhard. Optically active transition metal complexes. 111. Synthesis and structure of a new thioamidato rhodium(I) complex. *Tetrahedron: Asymmetry* (1996), 7(11), 3095-3098.

Brunner, Henri. Enantioselective catalysis with transition metal complexes. *NATO ASI Series, Series E: Applied Sciences* (1996), 320 (Chemical Synthesis), 175-190.

Brunner, Henri. Optically active transition metal compounds containing chiral transition metal atoms. *NATO ASI Series, Series E: Applied Sciences* (1996), 320 (Chemical Synthesis), 91-111.

Brunner, Henri; Net, Gemma. Enantioselective catalysis. Part 101. Synthesis and coordination properties of (3'S,4'S)-(+)-1,2-bis(3',4'-dimethoxyphospholano)benzene, a new chiral diphosphine. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (1996), 51(8), 1210-1212.

Brunner, Henri; Nuber, Bernhard; Prommesberger, Markus. Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands. *Journal of Organometallic Chemistry* (1996), 523(2), 179-185.

Brunner, Henri; Oeschey, Ralf; Nuber, Bernd. Optically Active Transition Metal Complexes. 109. Novel (η^6 -benzene)ruthenium Complexes with a Chiral Pyrrolocarbaldiminato Chelate Ligand: Synthesis, Crystal Structures, Properties, and Stereochemistry at the Ruthenium Atom. *Organometallics* (1996), 15(16), 3616-3624.

Terfort, Andreas; Brunner, Henri. Enantioselective catalysis. 99. Phosphine

ligands with two binding sites of differing hardness for enantioselective Grignard cross coupling. *Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry* (1996), (12), 1467-1479.

Brunner, Henri; Oeschey, Ralf; Nuber, Bernd. Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear h₆-benzene-ruthenium(II) complex with chiral salicylaldiminato ligands. *Journal of Organometallic Chemistry* (1996), 518(1-2), 47-53.

Brunner, Henri; Kauermann, Heike; Poll, Ludwig; Nuber, Bernhard; Wachter, Joachim. The reaction of As₄S_n (n = 3, 4) and As₂S₃ with (C₅Me₄R)₂Co₂(CO)₂ (R = Me, Et). Fragmentation and reassembling of main-group ligands by organometallic complexes. *Chemische Berichte* (1996), 129(6), 657-662.

Brunner, Henri; Gehart, Guenther; Leblanc, Jean-Claude; Moise, Claude; Nuber, Bernhard; Stubenhofer, Bernhard; Volpato, Florence; Wachter, Joachim. Addition of Cr(CO)₅ to the M(η²-S₂) moiety of Cp₂M(S₂)H (Cp' = tBuC₅H₄; M = Ta; Cp^x = C₅Me₄Et; M = Nb) and crystal structures of Cp'₂TaS₂H [Cr(CO)₅]_n (n = 1, 2). *Journal of Organometallic Chemistry* (1996), 517(1-2), 47-51.

Brunner, Henri; Oeschey, Ralf; Nuber, Bernd. Optically active transition metal complexes. Part 107. Synthesis, properties, stereochemistry and crystal structures of diastereomeric benzene-ruthenium(II) complexes with a chiral salicylideneaminato ligand. *Journal of the Chemical Society, Dalton Transactions: Inorganic Chemistry* (1996), (8), 1499-508.

Brunner, Henri; Kubicki, Marek M.; Gehart, Guenther; Lehrl, Erwin; Lucas, Dominique; Meier, Walter; Mugnier, Yves; Nuber, Bernd; Stubenhofer, Bernhard. Synthesis and characterization of [(C₅Me₄R)₂NbS₂]₂M complexes (M = Fe, Co; R = Me, Et): organometallic tetrathiometalates with niobocene ligands. *Journal of Organometallic Chemistry* (1996), 510(1-2), 291-5.

Brunner, Henri; Wachter, Joachim; Gehart, Guenther; Leblanc, Jean-Claude; Moiese, Claude. Preparation and Reactivity of Peralkylated Tantalocene Sulfur Complexes Having a Fulvenoid Substructure. *Organometallics* (1996), 15(4), 1327-30.

Brunner, Henri; Poll, Ludwig; Wachter, Joachim. New insights into the cage fragmentation of As₄S₄ and As₄S₃ by their interaction with (C₅Me₄Et)₂Fe₂(CO)₄. *Polyhedron* (1996), 15(4), 573-6.

Brunner, Henri; Müller, Jochen; Spitzer, Josef. Decarboxylation of malonic acids in the presence of copper(I) compounds – not a copper(I) catalysis but a base effect. *Monatshefte für Chemie* (1996), 127, 845-858.

Brunner, Henri; Kimel, Boris. Asymmetric Catalysis, CIII: Enantioselective Michael Addition of 1,3-Dicarbonyl Compounds to Conjugated Nitroalkanes.

Monatshefte für Chemie (1996), 127, 1063-1072.

Brunner, Henri. Dendrizyme – expandierte Liganden für die enantioselective Katalyse. Arbeitsausschuss „Kinetik und Reaktionsmechanismen“, Marburg (1996).

Brunner, Henri; Zettlmeier, Wolfgang. In situ catalysts in enantioselective catalysis with transition metal compounds. Advances in Catalytic Processes (1995), 1 (Asymmetric Chemical Transformations), JAI Press 1-27.

Brunner, Henri. Optically active binaphthyl-derived salicylaldehydes and salicylaldimines. Syntheses and catalyzes. Stereoselective Reactions of Metal-Activated Molecules, Proceedings of the Symposium, 2nd, Wuerzburg, Germany, Sept. 21-23, 1994 (1995), Meeting Date 1994, 73-80.

Brunner, Henri. Homogeneous enantioselective catalysis. Chiral Reactions in Heterogeneous Catalysis, [Proceedings of the European Symposium on Chiral Reactions in Heterogeneous Catalysis], 1st, Brussels, Oct. 25-26, 1993 (1995), Meeting Date 1993, 29-32.

Brunner, Henri. Right or left in chemistry - enantioselective catalysis with transition metal compounds. Quimica Nova (1995), 18(6), 603-7.

Brunner, Henri; Berghofer, Josef. Enantioselective catalysis. Part 96. Naphthalene units in the synthesis of optically active two-layer phosphines. Zeitschrift fuer Naturforschung, B: Chemical Sciences (1995), 50(10), 1510-12.

Brunner, Henri; Berghofer, Josef. Enantioselective catalysis. 97. Optically active salicyloxazoline ligands in enantioselective copper-catalyzed cyclopropanation reactions. Journal of Organometallic Chemistry (1995), 501(1-2), 161-6.

Brunner, Henri. Dendrzymes: Expanded ligands for enantioselective catalysis. Journal of Organometallic Chemistry (1995), 500(1-2), 39-46.

Brunner, Henri; Buegler, Juergen; Nuber, Bernhard. Enantioselective catalysis. 98. Preparation of 9-amino(9-deoxy)cinchona alkaloids. Tetrahedron: Asymmetry (1995), 6(7), 1699-702.

Elkrami, Soumia; Mourad, Youssef; Mugnier, Yves; Antinolo, Antonio; Del Hierro, Isabel; Garcia-Yuste, Santiago; Otero, Antonio; Fajardo, Mariano; Brunner, Henri. Electrochemical and chemical reduction of niobocene dichlorides in the presence of carbon dioxide. Journal of Organometallic Chemistry (1995), 498(2), 165-70.

Brunner, Henri; Challet, Sylvine; Kubicki, Marek M.; Leblanc, Jean-Claude; Moise, Claude; Volpato, Florence; Wachter, Joachim. Heterobimetallic Complexes Bridged by a Single 4e Sulfur Ligand: Addition of $M'(CO)_5$ ($M' = Cr, Mo, W$) to the Ta:S Bond of $(t-BuC_5H_4)_2Ta(S)H$. Organometallics

(1995), 14(8), 3623-4.

Brunner, Henri; Oeschey, Ralf; Nuber, Bernd. Stereochemistry at the Chiral Ruthenium Atom in Half-Sandwich Compounds of the Type $[(\eta^6\text{-Ar})\text{Ru}(\text{LL}^*)\text{L}']\text{X}$ and $[(\eta^6\text{-Ar})\text{Ru}(\text{LL}^*)\text{-Hal}]$. X-ray Structure Analysis of $[(\eta^6\text{-cymene})\text{Ru}(\text{LL}^*)(4\text{-Mepy})]\text{PF}_6$ and Appeal to the Proper Use of Stereochemical Terminology. *Inorganic Chemistry* (1995), 34(12), 3349-51.

Brunner, Henri; Gehart, Guenther; Meier, Walter; Wachter, Joachim; Burgemeister, Thomas. Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur. *Journal of Organometallic Chemistry* (1995), 493(1-2), 163-6.

Brunner, Henri; Terfort, Andreas. Enantioselective catalysis. 95. An asymmetric hydrogenation system breeding its own counter-configured ligand. *Tetrahedron: Asymmetry* (1995), 6(4), 919-22.

Brunner, Henri; Obermeier, Herbert; Szeimies, Rolf-Markus. Platinum(II) complexes with porphyrin ligands: synthesis and synergisms in the photodynamic tumor therapy. *Chemische Berichte* (1995), 128(2), 173-81.

Leblanc, Jean-Claude; Moise, Claude; Volpato, Florence; Brunner, Henri; Gehart, Guenther; Wachter, Joachim; Nuber, Bernhard. Comparative studies in the $\text{Cp}_2\text{M}(\eta^2\text{-S}_2)\text{H}$ series ($\text{Cp} = \text{t-BuC}_5\text{H}_4, \text{C}_5\text{Me}_4\text{Et}$; $\text{M} = \text{Nb, Ta}$) on the reactivity of hydride and disulfide ligands. *Journal of Organometallic Chemistry* (1995), 485(1-2), 237-42.

Brunner, Henri; Bublak, Petra. Enantioselective Katalyse. 92. Optisch aktive Dendrimerphosphine mit verzweigten Pyridinbausteinen. *Synthesis* (1995), 36-38.

Brunner, Henri; Net, Gemma. Enantioselective catalysis. 93. Optically active expanded phosphanes derived from 1,2-bisphosphanobenzene and amides and esters of acrylic acid. *Synthesis* (1995), 423-426.

Brunner, Henri; Henrichs, Christopher. Enantioselective catalysis. 94. The "Diphenyl Effect" in the Enantioselective Hydrosilylation of Acetophenone with Diphenylsilane Using Rh/5,5-Diphenyl-2-(2-pyridinyl)oxazoline Catalysts. *Tetrahedron: Asymmetry* (1995), 653-656.

Klement, Ulrich; Brunner, Henri; Rahman, A. F. M. M. Crystal structure of carbonyl($\eta^5\text{-cyclopentadienyl}$)[(R)-(+)-iminophosph]iron(II)-hexafluorophosphate. *Zeitschrift für Kristallographie* (1995), 210, 695.

Brunner, Henri. Homogeneous Enantioselective Catalysis. *Chiral Reactions in Heterogeneous Catalysis*. Plenum Press, New York (1995), 29-32.

Brunner, Henri; Obermeier, Herbert. Platinum(II) complexes with porphyrin ligands - additive cytotoxic and photodynamic effect. *Angewandte Chemie*

(1994), 106(21), 2305-6 (See also *Angew. Chem., Int. Ed. Engl.*, 1994, 33(21), 2214-15).

Brunner, Henri; Altmann, Stefan. Enantioselective catalysis. 90. Optically active nitrogen ligands with dendrimeric structure. *Chemische Berichte* (1994), 127(11), 2285-96.

Brunner, Henri; Maiterth, Friedrich; Treitinger, Barbara. Synthesis and antitumor activity of new porphyrin-platinum(II) complexes with the cytostatic platinum fragment attached to the porphyrin side chains. *Chemische Berichte* (1994), 127(11), 2141-9.

Brunner, Henri; Fuerst, Josef; Nagel, Ulrich; Fischer, Andreas. Asymmetric Catalysis. 88. Kinetics of the Rh-catalyzed hydrogenation of (Z)- α -acetamidocinnamic acid with optically active layer-phosphines as ligands. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (1994), 49(9), 1305-7.

Brunner, Henri. Natural products by enantioselective catalysis with transition metal compounds. *Pure and Applied Chemistry* (1994), 66(10/11), 2033-6.

Brunner, Henri; Muschiol, Manfred; Nuber, Bernhard. Dimer of ferroceno[1,2]cyclohexen-1-one-3. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (1994), 49(7), 991-2.

Brunner, Henri; Poll, Ludwig; Wachter, Joachim; Nuber, Bernhard. New Fe-As-S cage structure by the reaction of $[\text{Cp}^+\text{Fe}(\text{CO})_2]_2$ ($\text{Cp}^+ = \text{C}_5\text{Me}_4\text{Et}$) with realgar. *Journal of Organometallic Chemistry* (1994), 471(1-2), 117-22.

Brunner, Henri; Oeschey, Ralf; Nuber, Bernd. Optically active transition metal complexes. 105. Propeller isomerism of triphenylphosphine ligand in half-sandwich Ru(II) complexes. *Angewandte Chemie* (1994), 106(8), 941-4 (See also *Angew. Chem., Int. Ed. Engl.*, 1994, 33(8), 866-9).

Brunner, Henri; Fuerst, Josef. Asymmetric catalysis. 87. Enantioselective allylation of 1,5-dimethylbarbituric acid with Pd catalysts and new optically active PN ligands. *Inorganica Chimica Acta* (1994), 220(1-2), 63-6.

Brunner, Henri; Fuerst, Josef. Enantioselective catalysis. 85. Optically active expanded chelate phosphines derived from 1, ω -bis(dichlorophosphino)alkanes. *Tetrahedron* (1994), 50(15), 4303-10.

Brunner, Henri; Schiessling, Hubert. Dialdehyde + diamine - polymers or macrocyclic compounds? *Angewandte Chemie* (1994), 106(1), 130-1 (See also *Angew. Chem., Int. Ed. Engl.*, 1994, 33(1), 120-1).

Brunner, Henri; Schiessling, Hubert. Enantioselective Katalyse, 89. Azyklische und makrozyklische Binaphthyl-derivate. Bulletin des Societes Chimiques Belges (1994), 103(3), 119-126.

Brunner, Henri; Gehart, Guenther; Meier, Walter; Wachter, Joachim; Riedel, Astrid; Elkrami, Soumia; Mugnier, Yves; Nuber, Bernd. Preparative, structural, and electrochemical investigations on peralkylated niobocene dichlorides and difluorides. Organometallics (1994), 13(1), 134-40.

Brunner, Henri; Stumpf, Andreas. Asymmetrische Katalysen, 86. Mitt.: Enantioselective Epoxidation von N-Allyltrichloracetamid mit tert-Butylhydroperoxid und Mo-dotierten Y-Zeolithen, Kieselgel, sowie Isopropyltartrat. Monatshefte für Chemie (1994), 125, 485-489.

Brunner, Henri; Chuard, T. Asymmetric Catalysis, Part 91 [1]: Enantioselective Monophenylation of cis-1,2-Cyclopentanediol with Triphenylbismuth Diacetate and Chiral Copper(II) Complexes as Catalysts. Monatshefte für Chemie (1994), 125, 1293-1300.

Brunner, Henri; Zettlmeier, Wolfgang. Handbook of Enantioselective Catalysis with Transition Metal Compounds. Volume I: Products and Catalysts. VCH, Weinheim (1993).

Brunner, Henri; Zettlmeier, Wolfgang. Handbook of Enantioselective Catalysis with Transition Metal Compounds. Volume II: Ligands - References. VCH, Weinheim (1993).

Brunner, Henri. Right or left - that is the question - enantioselective catalysis with transition metal compounds. Adv. Catal. Des., Proc. Workshop, 2nd (1993), Meeting Date 1992, 245-61.

Brunner, Henri; Nuber, Bernhard; Poll, Ludwig; Wachter, Joachim. New arsenic-sulfur cage structures with organometallic components via complex-induced realgar (As₄S₄) decomposition. Angewandte Chemie (1993), 105(11), 1699-701 (See also Angew. Chem., Int. Ed. Engl., 1993, 32(11), 1627-8).

Brunner, Henri; Nishiyama, Hisao; Itoh, Kenji. Asymmetric hydrosilylation. Catal. Asymmetric Synth. (1993), 303-22.

Brunner, Henri; Zang, Er Le. New chiral TADDOLs for the enantioselective addition of diethylzinc to benzaldehyde catalyzed by Ti(IV). Zeitschrift fuer Naturforschung, B: Chemical Sciences (1993), 48(12), 1723-6.

Brunner, Henri; Huber, Christian; Bublak, Petra. Process for diastereoselective hydration of folic acid to tetrahydrofolic acid. Eur. Pat. Appl. (1993), 11 pp.

Brunner, Henri; Fürst, Josef. Enantioselective Katalyse. LXXXI. Optisch aktive Zweisohlenphosphine. Journal of Organometallic Chemistry (1993), 454, 87-94.

Brunner, Henri; Fisch, Konrad. Asymmetric catalysis. LXXXII. Enantioselective hydrogenation of 4-oxoisophorone. *Journal of Organometallic Chemistry* (1993), 456(1), 71-5.

Brunner, Henri; Stumpf, Andreas. Optically active transition metal complexes. CV. Facial and meridional chromiumcarbonylphosphine complexes. *Journal of Organometallic Chemistry* (1993), 459(1-2), 139-44.

Brunner, Henri; Forster, Stefan; Nuber, Bernd. Optically active transition-metal complexes. 104. Asymmetric Michael reactions of iron complexes (R_{Fe})- and (S_{Fe})- $[(\eta^5-C_5H_5)Fe(CO)(PPh_3)COCH:CH_2]$. Synthesis of an enantiomerically pure precursor for verapamil. X-ray crystal structure of $[R_{Fe}R_C]-\{(\eta^5-C_5H_5)Fe(CO)(PPh_3)COCH_2CH_2C(CN)(iPr)[3,4-C_6H_3(OMe)_2]\}$. *Organometallics* (1993), 12(10), 3819-27.

Brunner, Henri; Gehart, Guenther; Meier, Walter; Wachter, Joachim; Nuber, Bernhard. From $Cp^+_2Nb(\eta^2-S_2)H$ to $Cp^+_3Nb_3S_{12}$: reactivity studies of niobocene sulfide. *Journal of Organometallic Chemistry* (1993), 454(1-2), 117-22.

Brunner, Henri; Kubicki, Marek M.; Leblanc, Jean Claude; Moise, Claude; Volpato, Florence; Wachter, Joachim. Reactivity studies on tantalocene(sulfido)hydride $Cp'_2Ta(:S)H$ ($Cp' = C_5H_4Bu\text{-tert}$): cycloaddition on and protonation of the Ta:S ligand. *Journal of the Chemical Society, Chemical Communications* (1993), (10), 851-2.

Brunner, Henri; Sperl, Gerhard. Synthesis and antitumor activity of platinum(II) complexes of estradiol derivatives. *Monatshefte fuer Chemie* (1993), 124(1), 83-102.

Brunner, Henri; Singh, Udai P.; Boeck, Thomas; Altmann, Stefan; Scheck, Thomas; Wrackmeyer, Bernd. Asymmetric catalysis. LXXX. An optically-active tetrakispyrazolylborate: Synthesis and use in Cu-catalyzed enantioselective cyclopropanation. *Journal of Organometallic Chemistry* (1993), 443(1), C16-C18.

Leitner, Walter; Brown, John M.; Brunner, Henri. Asymmetric catalysis. 80. Mechanistic aspects of the rhodium-catalyzed enantioselective transfer hydrogenation of α,β -unsaturated carboxylic acids using formic acid/triethylamine (5:2) as the hydrogen source. *Journal of the American Chemical Society* (1993), 115(1), 152-9.

Brunner, Henri; König, W.; Nuber, Bernd. Enantioselective Catalysis. 83. Synthesis of Optically Active Ferrocenylalanine. *Tetrahedron: Asymmetry* (1993), 4(4), 699-707.

Brunner, Henri. Right or Left – That is the Question. Enantioselective Catalysis with Transition Metal Compounds. Chicat Conference, Brussels (1993).

Brunner, Henri; Gehart, Guenther; Meier, Walter; Wachter, Joachim; Wrackmeyer, Bernd; Nuber, Bernd; Ziegler, Manfred L. Preparative, boron-11 and niobium-93 NMR spectroscopic, and structural studies on Cp_2NbBH_4 and $[\text{CpNb}(\text{B}_2\text{H}_6)]_2$ complexes. *Journal of Organometallic Chemistry* (1992), 436(3), 313-24.

Brunner, Henri. Enantioselective catalysis with transition metal compounds. Right or left - this is the question. *Advances in Chemistry Series* (1992), 230 (Homogeneous Transition Met. Catal. React.), 143-52.

Brunner, Henri; Huber, Christian. Asymmetric Catalysis. 67. Diastereoselective hydrogenation of folic acid with optically active rhodium(I)-diphosphine complexes. *Chemische Berichte* (1992), 125(9), 2085-93.

Brunner, Henri; Grassl, Roland; Meier, Walter; Wachter, Joachim; Nuber, Bernd; Ziegler, Manfred L. Influence of variously substituted cyclopentadienyl ligands on the chemistry of sulfur-rich organometallic complexes with Group VIB metals. *Journal of Organometallic Chemistry* (1992), 434(1), 63-78.

Brunner, Henri; Maiterth, Friedrich; Treitinger, Barbara. Synthesis and antitumor activity of water-soluble 2-benzyl-1,2-diaminobutane- α -oxycarboxylatoplatinum(II) complexes. *Inorganica Chimica Acta* (1992), 198-200 79-84.

Brunner, Henri; Grassl, Roland; Wachter, Joachim. Investigation of the effect of dicyclopentadienylmethane ligands on the formation of cyclopentadienylchromium sulfides. *Journal of Organometallic Chemistry* (1992), 431(2), 151-7.

Brunner, Henri; Grassl, Roland; Wachter, Joachim; Nuber, Bernd; Ziegler, Manfred L. Synthesis and structural characteristics of dicyclopentadienylmethane binuclear metal carbonyls with subgroup 6 metals. *Journal of Organometallic Chemistry* (1992), 431(2), 143-50.

Brunner, Henri. Enantioselective rhodium(II) catalysts. *Angewandte Chemie* (1992), 104(9), 1208-10 (See also *Angew. Chem., Int. Ed. Engl.*, 1992, 31(9), 1183-5).

Brunner, Henri; Maiterth, Friedrich; Treitinger, Barbara. Synthesis and antitumor activity of [1,2-diamino-1-(p-hydroxybenzyl)ethane](dichloro)-platinum(II) complexes. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (1992), 47(7), 942-6.

Brunner, Henri; Gehart, Guenther; Nuber, Bernd; Wachter, Joachim; Ziegler, Manfred L. Reaction of $[\text{Cp}^*_2\text{Nb}_2(\text{B}_2\text{H}_6)_2]$ ($\text{Cp}^* = \eta\text{-EtMe}_4\text{C}_5$) with sulfur: stabilization of the tetrathioborato ligand in novel niobium sulfide clusters. *Angewandte Chemie* (1992), 104(8), 1096-8 (See also *Angew. Chem., Int. Ed. Engl.*, 1992, 31(8), 1021-3).

Brunner, Henri; Brandl, Paul. Asymmetric catalysis. 76. Rhodium-catalyzed enantioselective hydrosilylation of acetophenone by a polymer-bound pyridinyloxazoline. *Zeitschrift fuer Naturforschung, B: Chemical Sciences* (1992), 47(5), 609-13.

Brunner, Henri; Roetzer, Michael. Enantioselective catalysis. LXXVIII. The optically active phosphido bridged iron complex $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}_2(\mu\text{-H})(\mu\text{-PMe}_2)(\text{CO})_2]$. Synthesis, isomerization and catalysis. *Journal of Organometallic Chemistry* (1992), 425(1-2), 119-24.

Brunner, Henri; Grassl, Roland; Wachter, Joachim. Synthesis and structural characterization of bis(pentamethylcyclopentadienylmolybdenum- μ -sulfido) complexes with μ, η^1 -SSR ligands. *Journal of Organometallic Chemistry* (1992), 427(1), 57-62.

Brunner, Henri; Kurzwart, Markus. Asymmetric catalysis. LXXIII. Enantioselective decarboxylation of methylphenylmalonic acid derivatives with copper(I)/alkaloid catalysts. *Monatshefte fuer Chemie* (1992), 123(1-2), 121-8.

Brunner, Henri; Scheck, Thomas. Asymmetric catalysis. 77. New optically active pyrazole derivatives for enantioselective catalysis. *Chemische Berichte* (1992), 125(3), 701-9.

Bach, Hans Juergen; Brunner, Henri; Wachter, Joachim; Kubicki, Marek M.; Leblanc, Jean Claude; Moise, Claude; Volpato, Florence; Nuber, Bernd; Ziegler, Manfred L. Metallocene sulfide chemistry of niobium and tantalum: new insights into the formation of niobium-polysulfido complexes and synthesis, structure, and reactivity of $\text{Cp}'_2\text{Ta}(\eta^2\text{-S}_2)\text{H}$ ($\text{Cp}' = \text{tert-BuC}_5\text{H}_4$). *Organometallics* (1992), 11(3), 1403-7.

Brunner, Henri; Sperl, Gerhard. Synthese und Antitumoraktivität von [1,2-Diamino-1-(p-hydroxy)benzyl]ethan(dichloro)platin(II)-Komplexen. *Zeitschrift für Naturforschung* (1992), 47b, 942-946.

Brunner, Henri; Sperl, Gerhard. Synthese und Antitumoraktivität von cis-Dichloroplatin(II)-Komplexen mit Östradiolderivaten. *Monatshefte für Chemie* (1992), 124, 83-102.

Brunner, Henri; Wutz, Konrad. Optically active Binaphthyl Derivatives in the Cu-Catalyzed Enantioselective Cyclopropanation. *New Journal of Chemistry* (1992), 16(1-2), 57-61.

Brunner, Henri; Forster, Stefan. Determination of Enantiomeric Excess and Degree of Hydrogenation in the Enantioselective Hydrogenation of Ketopantolactone. *Monatshefte für Chemie* (1992), 123, 659-662.

Brunner, Henri. New Optically Active P-Ligands for Enantioselective Catalysis. ACS-Meeting, San Francisco (1992).

- Brunner, Henri. Nitrogen Ligands in Enantioselective Transition Metal Catalysis. EuChem Conference, Alghero (1992).
- Brunner, Henri. Enantioselective Catalysis with Transition Metal Complexes. ISHC Conference, Amsterdam (1992).
- Brunner, Henri. Enantioselective Catalysis with Transition Metal Compounds. 3rd International Symposium on Chiral Discrimination, Tübingen (1992).
- Brunner, Henri. Rechts oder links – das ist hier die Frage. Blick in die Wissenschaft (1992), 1, 12-19.
- Brunner, Henri. Enantioselective Catalysis with Transition Metal Compounds. ACS Books: New Science in Transition Metal Catalyzed Reactions (1992), 143-152.
- Brunner, Henri; Hankofer, Peter; Maiterth, Friedrich; Engel, Juergen; Schumacher, Wolfgang; Hilgard, Peter; Voegeli, Rainer. Platinum complexes with phenylalkylethylenediamine ligands. Eur. Pat. Appl. (1991), 45 pp.
- Brunner, Henri; Huber, Christian. Asymmetric catalyses. 71. Halogenated solvents in the rhodium catalyzed hydrosilylation with optically active 2-pyridineoxazolines. Zeitschrift fuer Naturforschung, B: Chemical Sciences (1991), 46(9), 1145-8.
- Brunner, Henri; Zintl, Helmut. Asymmetric catalysis. LXV. Verapamil Skeleton. Preparation via enantioselective alkylation of α -isopropyl-3,4-dimethoxybenzyl cyanide. Monatshefte fuer Chemie (1991), 122(10), 841-8.
- Brunner, Henri; Limmer, Stephan. Enantioselective catalyses. LX. Addition of optically active amines to P-substituted olefins. Journal of Organometallic Chemistry (1991), 417(1-2), 173-80.
- Brunner, Henri; Amberger, Klaus. Asymmetric catalysis. LXXV. Enantioselective hydrosilylation of acetophenone with pyridinyloxazoline cobalt(I) complexes as catalysts. Journal of Organometallic Chemistry (1991), 417(3), C63-C65.
- Brunner, Henri; Nerl, Georg; von Angerer, Erwin; Knebel, Norbert. Antitumor-active platinum(II) complexes with substituted 2-aminomethylpyridine ligands. Archiv der Pharmazie (Weinheim, Germany) (1991), 324(10), 779-84.
- Brunner, Henri; Fisch, Konrad. Optically active transition-metal complexes. 103. Configurational stability of new planar chiral indenyliron complexes. Tetrahedron: Asymmetry (1991), 2(8), 755-8.
- Brunner, Henri; Brandl, Paul. Enantioselective catalysis. 74. Ligand excess and intermediates in the rhodium-catalyzed enantioselective

hydrosilylation of acetophenone with pyridineoxazoline ligands. *Tetrahedron: Asymmetry* (1991), 2(9), 919-30.

Brunner, Henri; Limmer, Stephan. Enantioselective catalysis. LIX. Addition of optically active phosphorus-hydrogen compounds to P-substituted olefins. *Journal of Organometallic Chemistry* (1991), 413(1-3), 55-63.

Brunner, Henri; Prester, Franz. Asymmetric catalysis. LXX. The highly enantioselective cobalt-catalyzed homo-Diels-Alder reactions of norbornadiene with acetylenes. *Journal of Organometallic Chemistry* (1991), 414(3), 401-9.

Brown, John M.; Brunner, Henri; Leitner, Walter; Rose, Michael. Enantioselective catalysis. 66. Enantioselective catalytic transfer hydrogenation of α,β -unsaturated carboxylic acids with formates catalyzed by novel ruthenium phosphine complexes. *Tetrahedron: Asymmetry* (1991), 2(5), 331-4.

Brunner, Henri; Fisch, Konrad. Synthesis of $(C_5H_5)Fe(CO)(SiHPh_2)_2H$, a catalytically active intermediate in the hydrosilylation of acetophenone by diphenylsilane. *Journal of Organometallic Chemistry* (1991), 412(1-2), C11-C13.

Brunner, Henri; Prester, Franz. Rhodium-catalyzed synthesis of a polycyclic silacyclobutane from norbornadiene and diphenylsilane. *Journal of Organometallic Chemistry* (1991), 411(1-2), C1-C2.

Brunner, Henri; Zintl, Helmut. Asymmetric catalysis. LXIV. Enantioselective epoxidation of N-allyltrichloroacetamide with optically active molybdenum catalysts. *Journal of Organometallic Chemistry* (1991), 411(3), 375-82.

Nishiyama, Hisao; Brunner, Henri; Jones, Peter G. Optically active transition metal complexes. XCVIII. Synthesis and structure of diastereomers of $[(-)\text{-norphos}]Ru(II)(\eta^5\text{-}C_5H_5)I$. *Journal of Organometallic Chemistry* (1991), 405(2), 247-55.

Brunner, Henri; Zettlmeier, Wolfgang. Optisch active Phosphine aus Dicarbonsäuren und ihr Einsatz in der enantioselektiven Hydrierung. *Bulletin des Societes Chimiques Belges* (1991), 100, 259-265.

Brunner, Henri; Amberger, K.; Wiehl, J. Asymmetrische Katalysen, 68. Enantioselektiven Hydrierung von Acetylaceton mit NaBr/L-(+)-Weinsäure modifizierten Übergangsmetallen. *Bulletin des Societes Chimiques Belges* (1991), 100, 571-584.

Brunner, Henri; Amberger, K.; Wischert, Thomas; Wiehl, Jürgen. Asymmetrische Katalysen, 69. Enantioselektive Hydrierung von Dicarbonylverbindungen mit NaBr/L-(+)-Weinsäure modifizierten Nickelkatalysatoren. *Bulletin des Societes Chimiques Belges* (1991), 100, 585-595.

Brunner, Henri; Kramler, Karl. Asymmetric Catalysis, 72. Enantioselective Hydroarylation of Norbornene and Norbornadiene with Palladium(II) Acetate/Phosphine Catalysts. *Synthesis* (1991), 1121-1124.

Brunner, Henri; Zettlmeier, Wolfgang. Synthese chiraler Phosphinoxide und Phosphine durch Michaelis-Arbuzov-Umlagerung. *Bulletin des Societes Chimiques Belges* (1991), 100, 247-257.

Leitner, Walter; Brown, John M.; Brunner, Henri. The Mechanism of the Rhodium-Catalyzed Enantioselective Transfer Hydrogenation of Itaconic Acid Using $\text{HCO}_2\text{H}/\text{NET}_3$ as the Hydrogen Source. OMCOS-Conference, Utrecht (1991).

Brunner, Henri. Enantioselective Hydrosilylierung von prochiralen Ketonen mit Diphenylsilan. *Kosil, Dresden* (1991).

Brunner, Henri. Transition Metal Chemistry and Optical Activity – Werner-Type Complexes, Organometallic Compounds, Enantioselective Catalysis. From Weak Bosons to the α -Helix. Springer-Verlag, Berlin (1991), 166-179.

Brunner, Henri. Enantioselective catalysis with transition metal compounds. *Chemical Industries (Dekker)* (1990), 40 (Catal. Org. React.), 3-10.

Brunner, Henri. Entwicklung neuer Katalysatorsysteme zur technischen Produktion enantiomerenreiner Stoffe. Statusseminar Katalyseforschung, Berlin – Paderborn (1990), 161- 178.

Brunner, Henri. Right or Left - That is the Question. Asymmetric Hydrogenation and Hydrosilylation. *Catalysis Conference, Roermond* (1990).

Brunner, Henri. New Platinum Complexes and their Antitumor Activity. 15th International Cancer Congress, Hamburg (1990).

Brunner, Henri. Right or Left - That is the Question. Asymmetric Enantioselective Catalysis. *ACS Conference, Boston* (1990).

Brunner, Henri; Niedernhuber. Optically active transition metal complexes. 102. Enantioselective synthesis of 3-oxabicyclo[3.3.0]oct-7-en-7-phenyl-6-one via Khand-Pauson reaction. *Tetrahedron: Asymmetry* (1990), 1(10), 711-14.

Brunner, Henri; Prester, Franz. Asymmetric catalysis. 61. Optically active nortricyclenes by enantioselective catalysis. *Tetrahedron: Asymmetry* (1990), 1(9), 589-92.

Brunner, Henri; Wutz, Konrad; Doyle, Michael P. Enantioselective sulfur-hydrogen and carbon-hydrogen insertions with optically active rhodium(II) and copper(II) catalysts. *Asymmetric catalysis. LVIII. Monatshefte fuer Chemie* (1990), 121(10), 755-64.

Brunner, Henri; Peter, Hermann. Optically active transition metal complexes.

XCIX. Optically active phosphido-bridged molybdenum, rhodium, and iron complexes. Journal of Organometallic Chemistry (1990), 393(3), 401-9.

Brunner, Henri; Peter, Hermann. Optically active transition metal complexes. C. Photochemically induced cis-trans Isomerization in optically-active phosphido-bridged iron complexes of the type, $[\text{CpFe}(\mu\text{-PR}_2)\text{CO}]_2$ and $[\text{Cp}_2\text{Fe}_2(\mu\text{-H})(\mu\text{-PR}_2)(\text{CO})_2]$. Journal of Organometallic Chemistry (1990), 393(3), 411-22.

Brunner, Henri; Ziegler, Josef. Enantioselective catalysis. LXII. 1,2-Bis(dimethylphosphino)ethane. Journal of Organometallic Chemistry (1990), 397(2), C25-C27.

Brunner, Henri; Eder, Rudolf; Hammer, Benedikt; Klement, Ulrich. Enantioselective catalysis. LIII. Enantioselective catalysis with rhodium complexes containing optically active iron compounds as ligands. Crystal structure of $\text{CpFe}(\text{CO})(\text{COMe})\text{PPh}_2\text{ORh}(\text{COD})$. Journal of Organometallic Chemistry (1990), 394(1-3), 555-67.

Brunner, Henri; Grassl, Roland; Wachter, Joachim; Nuber, Bernd; Ziegler, Manfred L. Synthesis and structure characterization of transition metal sulfide clusters with η^5 -pentamethylcyclopentadienylmolybdenum, CuCl , and $\text{Fe}(\text{NO})$ units. Journal of Organometallic Chemistry (1990), 393(1), 119-29.

Brunner, Henri; Fisch, Konrad. Optically active transition metal complexes. 101. Catalytic hydrosilylation or hydrogenation at a coordination site of the iron fragment $\text{Cp}'\text{Fe}(\text{CO})(\text{X})$. Angewandte Chemie (1990), 102(10), 1189-91.

Brunner, Henri; Eder, Rudolf. Optically active transition metal complexes. 97. $\text{C}_5\text{H}_5\text{Fe}(\text{CO})(\text{COMe})$ derivatives of glyphos and diop. Zeitschrift fuer Naturforschung, B: Chemical Sciences (1990), 45(5), 579-86.

Brunner, Henri; Muschiol, Manfred; Wischert, Thomas; Wiehl, Juergen. Enantioselective catalysis. 54. Hydrogenation of methyl acetoacetate using nickel powder modified with sodium bromide/(R,R)-tartaric acid. Tetrahedron: Asymmetry (1990), 1(3), 159-62.

Brunner, Henri; Brandl, Paul. Asymmetric catalysis. LVI. Enantioselective hydrosilylation of acetophenone with a rhodium/picolineoxazoline catalyst 1:1. Journal of Organometallic Chemistry (1990), 390(3), C81-C83.

Brunner, Henri; Janietz, Norbert; Wachter, Joachim; Neumann, Hans Peter; Nuber, Bernd; Ziegler, Manfred L. Reactivity studies of sulfur and selenium bridged binuclear carbonyl rhodium complexes. Journal of Organometallic Chemistry (1990), 388(1-2), 203-14.

Wachter, Joachim; Brunner, Henri; Meier, Walter. $(\mu\text{-Disulfido-S})(\mu\text{-disulfido-}\eta^{2:\text{h}2})\text{bis}(\eta^5\text{-pentamethylcyclopentadienyl})(\mu\text{-thio})\text{dichromium}(\text{Cr-Cr})$. Inorganic Syntheses (1990), 27, 69-70.

Brunner, Henri; Bielmeier, Ernst; Wiehl, Juergen. Asymmetric catalysis. L. Heterogeneous enantioselective hydrogenation with immobilized rhodium(I) complexes. *Journal of Organometallic Chemistry* (1990), 384(1-2), 223-41.

Brunner, Henri; Hankofer, Peter; Holzinger, Ulrich; Treitinger, Barbara; Schoenenberger, Helmut. Synthesis and antitumor activity of platinum(II) complexes containing substituted ethylenediamine ligands. *European Journal of Medicinal Chemistry* (1990), 25(1), 35-44.

Brunner, Henri; Muschiol, Manfred; Prester, Franz. Asymmetric catalysis. 55. Optically active deltacyclane and deltacyclene from enantioselective catalysis. *Angewandte Chemie* (1990), 102(6), 680-1.

Brunner, Henri. Right or left - this is the question (enantioselective catalysis with transition metal compounds). *Pure and Applied Chemistry* (1990), 62(4), 589-94.

Brunner, Henri; Hankofer, Peter; Treitinger, Barbara. Synthesis and antitumor activity of platinum(II) complexes of benzyl-1,2-diaminoethane ligands. *Chemische Berichte* (1990), 123(5), 1029-38.

Brunner, Henri; Meier, Walter; Wachter, Joachim; Nuber, Bernd; Ziegler, Manfred, L. New Aspects in the Chemistry of Transition-Metal Polysulfido Complexes: Synthesis and Crystal Structure of $Cp'_3Nb_3S_{10}O$ ($Cp' = t-BuC_5H_4$). *Journal of Organometallic Chemistry* (1990), 381, C7-C12.

Brunner, Henri; Lautenschlager, Hans-Juergen; Koenig, Wilfried A.; Krebber, Ralph. Asymmetric catalysis. LI. New optically active chelating phosphines - synthesis and application in enantioselective catalysis. *Chemische Berichte* (1990), 123(4), 847-53.

Brunner, Henri; Leitner, Walter. Enantioselective catalysis. Part 52. Rhodium-catalyzed enantioselective transfer-hydrogenation of C=C double bonds with the system HCO_2H/NEt_3 as hydrogen source. *Journal of Organometallic Chemistry* (1990), 387, 209-217.

Brunner, Henri; Klement, Ulrich; Wachter, Joachim; Tsunoda, Mitsukimi; Leblanc, Jean-Claude; Moise, Claude. Soluble Niobium Polysulfide Complexes from the Reaction of $(t-BuC_5H_4)_2NbH_3$, $(C_5Me_5)_2NbBH_4$, and $(C_5Me_5)Nb(CO)_4$ with Sulphur. *Inorganic Chemistry* (1990), 29, 584-586.

Brunner, Henri. Enantioselective syntheses with optically active transition metal catalysts. *Chemistry of the Metal-Carbon Bond* (1989), 5, 109-46.

Brunner, Henri; Graf, Elisabeth; Leitner, Walter; Wutz, Konrad. Enantioselective catalysts. Part 48. Highly enantioselective catalytic transfer-hydrogenation of itaconic acid with formates. *Synthesis* (1989), (10), 743-5.

Vornefeld, Michael; Huber, Friedo; Preut, Hans; Brunner, Henri. Synthesis and spectroscopic characterization of dimethylgermanium derivatives of dipeptides, crystal structure of dimethylgermanium glycyglycinate, and in vivo effects of dimethylgermanium glycyglycinate against murine leukemia P388. *Applied Organometallic Chemistry* (1989), 3(2), 177-82.

Brunner, Henri; Kraus, Joerg. Asymmetric catalysis. Part 41. Enantioselective Michael additions catalyzed by cobalt(II)/1,2-diphenylethylenediamine. *Journal of Molecular Catalysis* (1989), 49(2), 133-42.

Brunner, Henri; Janietz, Norbert; Wachter, Joachim; Nuber, Bernd; Ziegler, Manfred L. Reactivity of metal-metal multiple bonds in transition metal complexes. XIV. Reaction of $\text{Cp}^*_2\text{CoRh}(\mu\text{-CO})_2$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$) with sulfur or selenium and the molecular structure of $\text{Cp}^*_2\text{CoRh}(\text{CO})_2(\mu\text{-Se})_2$. *Journal of Organometallic Chemistry* (1989), 367(1-2), 197-204.

Botteghi, Carlo; Schionato, Alberto; Chelucci, Giorgio; Brunner, Henri; Kuerzinger, Alfred; Obermann, Uwe. Asymmetric catalysis. XLVI. Enantioselective hydrosilylation of ketones with $[\text{Rh}(\text{COD})\text{Cl}]_2$ and optically active nitrogen ligands. *Journal of Organometallic Chemistry* (1989), 370(1-3), 17-31.

Brunner, Henri; Fisch, Konrad; Jones, Peter G.; Salbeck, Josef. Optically-active transition metal complexes. 96. Thermal and electrocatalytic epimerization at iron as a chiral center. *Angewandte Chemie* (1989), 101(11), 1558-9.

Brunner, Henri; Goldbrunner, Johann. Asymmetric catalysis. IL. Optically active binaphthyl derivatives - synthesis and use in transition-metal catalysts. *Chemische Berichte* (1989), 122(10), 2005-9.

Brunner, Henri; Meier, Walter; Wachter, Joachim; Bernal, Ivan; Raabe, Eleonore. Carbon monoxide induced, reversible insertion of a terminal imido ligand into an $\eta^1:\eta^2$ -isocyanide bridge in the dimolybdenum complex $\text{Cp}(\text{CO})_2\text{Mo}(\mu\text{-CNPh})\text{Mo}(\text{NPh})\text{Cp}$ ($\text{Cp} = \eta^5\text{-C}_5\text{H}_5$). *Journal of Organometallic Chemistry* (1989), 362(1-2), 95-103.

Brunner, Henri; Pfauntsch, Joachim; Wachter, Joachim; Nuber, Bernd; Ziegler, Manfred L. Reactivity of cyclopentadienylchromium sulfides with air oxygen and electrophiles and crystal structure of $\text{Cp}^*_2\text{Cr}_2(\mu,\eta^2\text{-S}_2)(\mu\text{-S}_2)$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$). *Journal of Organometallic Chemistry* (1989), 359(2), 179-88.

Brunner, Henri; Dafinger, Willi; Schoenenberger, Helmut. Synthesis of platinum dichloride complexes of pyridylmethylamine ligands and their activity against hormone-dependent mammary carcinoma. *Inorganica Chimica Acta* (1989), 156(2), 291-301.

Brunner, Henri; Obermann, Uwe; Wimmer, Peter. Asymmetric catalysis. 44. Enantioselective monophenylation of diols with cupric

acetate/pyridinyloxazoline catalysts. *Organometallics* (1989), 8(3), 821-6.

Brunner, Henri; Obermann, Uwe. Asymmetric catalysis. XLV. Enantioselective hydrosilylation of ketones with $[\text{Rh}(\text{COD})\text{Cl}]_2$ /pyridinyloxazoline catalysts. *Chemische Berichte* (1989), 122(3), 499-507.

Brunner, Henri; Kluschanzoff, Harald; Wutz, Konrad. Enantioselective Catalysis, 47. Rhodium(II)-Carboxylate Complexes and their Use in the Enantioselective Cyclopropanation. *Bulletin des Societes Chimiques Belges* (1989), 98, 63-72.

Brunner, Henri; Lautenschlager, Hans-Juergen. Synthesis of New Optically Active Bis- and Tris(phosphines). *Synthesis* (1989), 706-709.

Brunner, Henri; Holzinger, Ulrich; Hankofer, Peter; Maiterth; Friedrich. Neue antitumoraktive Ethylendiamin-Dichloro-Platin-Komplexe. *Fortschritte in der medizinischen Forschung*, Stuttgart (1989).

Brunner, Henri; Hankofer, Peter. Cyclodextrine als Lösungsvermittler für Benzylethylendiamin-Platin-Komplexe. *Fortschritte in der medizinischen Forschung*, Stuttgart (1989).

Brunner, Henri; Dafinger, Willi; Nerl, Georg. Östrogenrezeptor-affine Platin(II)-Komplexe. *Fortschritte in der medizinischen Forschung*, Stuttgart (1989).

Brunner, Henri. Right or Left – That is the Question (Enantioselective Catalysis with Transition Metal Complexes). *Conference, Veszprem* (1989).

Brunner, Henri. Rechts oder links – das ist hier die Frage (optisch active Übergangsmetall-Katalysatoren in der organischen Synthese). *Konferenz, Bonn* (1989).

Brunner, Henri; Leitner, Walter; Wutz, Konrad. Enantioselective katalytische Transfer-Hydrierung mit Formiaten. *Konferenz Bonn* (1989).

Brunner, Henri. Antitumor Active Platinum(II) Complexes. *Pharmazeutische Tagung, Regensburg* (1989).

Brunner, Henri. Enantioselective Synthesis of Organic Compounds with Optically Active Transition Metal Catalysts and Transition Metal Compounds. *Organometallics in Organic Synthesis 2*. Springer-Verlag, Berlin (1989), 277-289.

Brunner, Henri. Enantioselective Syntheses with Optically Active Transition Metal Complexes. *The Chemistry of the Metal-Carbon Bond 5*. Wiley, New York (1989), 109-146.

Brunner, Henri. Enantioselective Synthesis of Organic Compounds with Optically Active Transition Metal Catalysts in Substoichiometric Quantities. *Topics in Stereochemistry*. Wiley (1988), 129-247.

Brunner, Henri; Janietz, Norbert; Wachter, Joachim; Nuber, Bernd; Ziegler, Manfred L. Synthesis of ruthenium polysulfide complexes. Reaction of $(C_5Me_5)Ru_2(CO)_4$ with sulfur. *Journal of Organometallic Chemistry* (1988), 356(1), 85-91.

Bladon, Peter; Pauson, Peter L.; Brunner, Henri; Eder, Rudolf. Optically active transition metal complexes. XCV. Optically pure 3a,4,5,6,7,7a-hexahydro-2-phenyl-4,7-methano-1H-inden-1-one from an asymmetric Khand reaction. *Journal of Organometallic Chemistry* (1988), 355(1-3), 449-54.

Brunner, Henri; Kraus, Joerg; Lautenschlager, Hans-Juergen. Synthesis of optically active Michael adducts via chiral enamines. *Monatshefte fuer Chemie* (1988), 119(10), 1161-7.

Brunner, Henri; Janietz, Norbert; Meier, Walter; Wachter, Joachim; Herdtweck, Eberhard; Herrmann, Wolfgang A.; Serhadli, Omar; Ziegler, Manfred L. Reactivity of metal-metal multiple bonds in transition metal complexes. XIII. Investigation of the stepwise synthesis of chalcogen-rich binuclear complexes by reaction of $[CpM(CO)]_2$ (M = cobalt, rhodium; Cp = η^5 -pentamethylcyclopentadienyl) with elemental sulfur, selenium or tellurium. *Journal of Organometallic Chemistry* (1988), 347(1-2), 237-52.

Brunner, Henri; Kuerzinger, Alfred. Asymmetric catalysis. XL. Enantioselective hydrosilylation of ketones by diphenylsilane with $[Rh(cod)Cl]_2$ /pyridinethiazolidine catalysts. *Journal of Organometallic Chemistry* (1988), 346(3), 413-24.

Bernal, Ivan; Brunner, Henri; Muschiol, Manfred. Optically active transition-metal compounds. 93. X-ray determination of the structure and absolute configuration of $(+)_578^-$ (acetyl)carbonyl(cyclopentadienyl)(triphenylphosphine)iron. *Inorganica Chimica Acta* (1988), 142(2), 235-42.

Brunner, Henri; Fisch, Heinrich. Asymmetric catalyses. XXXIX. Monohydrosilanes in the enantioselective catalytic hydrosilylation of prochiral ketones. *Monatshefte fuer Chemie* (1988), 119(5), 525-32.

Brunner, Henri. Enantioselective synthesis of organic compounds with optically active transition metal catalysts in substoichiometric quantities. *Topics in Stereochemistry* (1988), 18 129-247.

Brunner, Henri; Leitner, Walter. Enantioselective catalysis. 43. Enantioselective catalytic transfer hydrogenation of α,β -unsaturated carboxylic acids with triethylammonium formate. *Angewandte Chemie* (1988), 100(9), 1231-2.

Brunner, Henri. Enantioselective synthesis with optically active transition-metal catalysts. *Synthesis* (1988), (9), 645-54.

Brunner, Henri; Janietz, Norbert; Meier, Walter; Nuber, Bernd; Wachter, Joachim; Ziegler, Manfred L. Synthesis and structure of $[(C_5Me_5)_2Rh_2S_8]$, a dirhodium complex with unusual polysulfide bridge. *Angewandte Chemie* (1988), 100(5), 717-18.

Brunner, Henri; Sicheneder, Adolf. Enantioselective catalysis. 42. Synthesis of optically active phosphines via Sharpless epoxidation. *Angewandte Chemie* (1988), 100(5), 730-1.

Brunner, Henri; Kuerzinger, Alfred; Mahboobi, Siavosh; Wiegrebe, Wolfgang. Asymmetric catalysis. 38. Enantioselective hydrosilylation and hydrogenation of alkaloid precursors. *Archiv der Pharmazie* (Weinheim, Germany) (1988), 321(2), 73-6.

Brunner, Henri; Merz, Andreas; Pfauntsch, Joachim; Serhadli, Omar; Wachter, Joachim; Ziegler, Manfred L. Investigation into the redox behavior of bis(pentamethylcyclopentadienyl)(μ, η^1 -disulfide)(μ, η^2 -disulfide)diiron: an unexpected reversible $\eta^1 = \eta^2$ rearrangement of a disulfur bridge. *Inorganic Chemistry* (1988), 27(12), 2055-8.

Brunner, Henri; Jablonski, Chet R.; Jones, Peter G. Optically active transition-metal compounds, 94. Preparation, structure, absolute configuration, and conformational analysis of chiral pseudooctahedral cobalt(III) phosphonato and phosphinato complexes. Optical induction in the transition-metal Arbuzov reaction. *Organometallics* (1988), 7(6), 1283-92.

Brunner, Henri; Fisch, Heinrich. Asymmetrische Katalysen, 39 Mitt.: Monohydrosilane in der enantioselektiven katalytischen Hydrosilylierung prochiraler Ketone. *Monatshefte für Chemie* (1988), 119, 525-532.

Brunner, Henri; Loskot, Stefan. $C_5H_5Co[(NO)_2norbornene]$, the Product of a Three Component Synthesis. *Organometallic Synthesis 4*, Elsevier, Amsterdam, (1988), 281-282.

Brunner, Henri; Schmidbauer, Johann. $Cp(CO)_2Mo[NH(R^*)CH(py)]$, a Molybdena-Aziridine Complex Containing a MoNC Three-Membered Ring. *Organometallic Synthesis 4*, Elsevier, Amsterdam, (1988), 73-75.

Brunner, Henri; Klement, Ulrich; Meier, Walter; Wachter, Joachim; Serhadle, Omar; Ziegler, Manfred L. Novel phosphorus-sulfur ligands in dimolybdenum complexes $Cp_2Mo_2P_xS_y$ ($Cp = \eta^5-C_5Me_5$; $x = 2,4$; $y = 5-x$) prepared from $Cp_2Mo_2(CO)_4$ and P_4S_3 . *Journal of Organometallic Chemistry* (1987), 335(3), 339-52.

Brunner, Henri; Fisch, Heinrich. Asymmetric catalysis. XXXVII. Complexes with free donor groups as co-catalysts for enantioselective hydrosilylation. *Journal of Organometallic Chemistry* (1987), 335(1), 15-27.

- Brunner, Henri; Fisch, Heinrich. Asymmetric catalysis. XXXVI. New multidentate ligands with the (S)- α -(2-pyridyl)ethyl group; rhodium complexes and enantioselective hydrosilylation. *Journal of Organometallic Chemistry* (1987), 335(1), 1-14.
- Brunner, Henri; Leyerer, Helmut. Asymmetric catalysts. XXXV. A new optically active, unidentate phosphine from α -pinene and D-mannitol. Rhodium complexes and enantioselective catalysts. *Journal of Organometallic Chemistry* (1987), 334(3), 369-76.
- Brunner, Henri; Sievi, Robert. Asymmetric catalyses. XXIII. New optically active phospholanes derived from tartaric acid. *Journal of Organometallic Chemistry* (1987), 328(1-2), 71-80.
- Brunner, Henri; Kauermann, Heike; Pfauntsch, Joachim; Wachter, Joachim; Enemark, John H.; Young, Charles G. Preparation and reactivity of binuclear oxo(pentamethylcyclopentadienyl)molybdenum sulfides. *Journal of Organometallic Chemistry* (1987), 331(1), 45-52.
- Brunner, Henri; Ernst, Johannes; Wischert, Thomas; Thewalt, Ulf. Optically active transition metal complexes. LXXXII. Geometric and optical isomers in the diarenechromium series. *Journal of Organometallic Chemistry* (1987), 328(3), 331-9.
- Brunner, Henri; Klement, Ulrich; Pfauntsch, Joachim; Wachter, Joachim. Synthesis and structure of $[(C_5Me_5)_2Mo_2S_4 \cdot SO_3]$: a contribution to oxidation of sulfur ligands in transition metal complexes. *Angewandte Chemie* (1987), 99(3), 268-9.
- Brunner, Henri; Leyerer, Helmut. Asymmetric Catalysis, 34. Phosphines With (S)-2-Methylbutyl Substituents and Their Rh-complexes – Use in enantioselective Catalysis. *Bulletin des Societes Chimiques Belges* (1987), 96, 353-359.
- Brunner, Henri. Enantioselective Catalysis With Transition Metal Complexes – Hydrogenation and Hydrosilylation. ACS Meeting, New Orleans (1987).
- Brunner, Henri. Enantioselective Catalysis – New Catalysts, New Reactions. RCS Meeting, Swansea (1987).
- Brunner, Henri. Enantioselective Catalysis With Transition Metal Compounds. Sixth International Conference on Catalysis. The Taniguchi Foundation. Sanda, Hyogo (1987).
- Brunner, Henri. Stereochemistry of Heterogeneous Metal Catalysis. *Angew. Chem.* (1987), 99, 163.
- Brunner, Henri; Obermann, Uwe; Wimmer, Peter. Asymmetric catalysis. XXXII. Enantioselective phenylation of cis-1,2-cyclohexanediol and meso-2,3-butanediol. *Journal of Organometallic Chemistry* (1986), 316(1-2), C1-C3.

Brunner, Henri; Knott, Alfons; Kunz, Manfred; Thalhammer, Elisabeth. Asymmetric catalysis. XXX. Enantioselective hydrogenation of crotonic acid derivatives with rhodium-phosphine catalysts. *Journal of Organometallic Chemistry* (1986), 308(1), 55-62.

Brunner, Henri; Meier, Walter; Wachter, Joachim; Weber, Paul; Ziegler, Manfred L.; Enemark, John H.; Young, Charles G. Methylation of a sulfur-rich dimolybdenum complex: preparation, separation and characterization of $(\text{Me}_5\text{C}_5)_2\text{Mo}_2(\mu\text{-SMe})_2(\mu\text{-S})_2$ in two isomer forms. *Journal of Organometallic Chemistry* (1986), 309(3), 313-18.

Brunner, Henri; Wimmer, Peter. One-pot synthesis of trichloromethyl substituted alcohols. *Journal of Organometallic Chemistry* (1986), 309(1-2), C4-C6.

Brunner, Henri; Schoenenberger, Helmut; Schmidt, Manfred; Holzinger, Ulrich; Unger, Gerfried; Engel, Juergen. (1-Benzylethylenediamine)-platinum(II) complexes as antitumor agents. *Ger. Offen.* (1986), 65 pp.

Brunner, Henri; Kroiss, Reinhard; Schmidt, Manfred; Schoenenberger, Helmut. Synthesis of new ethylenediamine-platinum(II) complexes starting from amino acids and their antitumor activity. *European Journal of Medicinal Chemistry* (1986), 21(4), 333-8.

Brunner, Henri; Kauermann, Heike; Nuber, Bernd; Wachter, Joachim; Ziegler, Manfred L. Complex induced decomposition of tetraarsenic tetrasulfide: stabilization of a diarsenic trisulfide ligand. *Angewandte Chemie* (1986), 98(6), 551-2.

Brunner, Henri; Wachter, Joachim; Schmidbauer, Johann; Sheldrick, George M.; Jones, Peter G. Optically active transition-metal complexes. 90. Cyclic $\text{Cp}(\text{CO})_2\text{Mo}[\text{NH}(\text{R}^*)\text{CH}(\text{py})]$ complexes and their rhodium norbornadiene derivatives: stereochemistry and absolute configuration of the metallazaaziridine system. *Organometallics* (1986), 5(11), 2212-19.

Brunner, Henri; Meier, Walter; Nuber, Bernd; Wachter, Joachim; Ziegler, Manfred L. Reactivity of metal-metal multiple bonds in metal carbonyl derivatives. 12. Synthesis and structure of $[(\text{C}_5\text{Me}_5)_2\text{M}_2\text{Se}_5]$: formation of a μ, η^2 -tetraselenide ligand at the M-M double bond of $[(\text{C}_5\text{Me}_5)_2\text{M}_2(\mu\text{-CO})_2]$ (M = cobalt, rhodium). *Angewandte Chemie* (1986), 98(10), 907-8.

Brunner, Henri; Schmidt, Manfred; Schoenenberger, Helmut. Synthesis and in vitro antitumor activity of dichloroplatinum complexes of pyridine- and quinoline-amine and -imine ligands and of carbocyclic ethylenediamine ligands. *Inorganica Chimica Acta* (1986), 123(4), 201-7.

Brunner, Henri; Kunz, Manfred. Asymmetric catalyses. 31. Enantioselective catalytic reduction of dehydroamino acids with formic acid. *Chemische Berichte* (1986), 119(9), 2868-73.

Brunner, Henri; Riepl, Georg; Bernal, Ivan; Ries, Wolfgang H. Asymmetric catalysis. 8. X-ray structure analysis of the asymmetric hydrosilylation catalyst (cycloocta-1,5-diene)(pyrrole-2-carbal-(S)-1-phenylethyliminato)rhodium(I). *Inorganica Chimica Acta* (1986), 112(1), 65-70.

Brunner, Henri; Wachter, Joachim; Schmidbauer, Johann; Sheldrick, George M.; Jones, Peter G. Optically active transition-metal complexes. 90. A rhodium complex with an asymmetric molybdenum atom in the chelate framework. *Angewandte Chemie* (1986), 98(4), 339-41.

Brunner, Henri. Enantioselective catalysis with transition metal complexes. *Journal of Organometallic Chemistry* (1986), 300(1-2), 39-56.

Bernal, Ivan; Draux, Madeleine; Brunner, Henri; Hoffmann, Beate; Wachter, Joachim. Reactivity of the metal-metal multiple bond in metal carbonyl derivatives. 11. Reaction of $(C_5H_5)_2Mo_2(CO)_4$ with carbodiimides: structural characterization of $C_5H_5(CO)_2Mo(CNPh)Mo(NPh)C_5H_5$, a novel complex containing a terminal phenylimido and a bridging phenyl isocyanide ligand, and its reaction with $P(OMe)_3$. *Organometallics* (1986), 5(4), 655-60.

Brunner, Henri; Becker, Richard; Gauder, Sonja. Asymmetric catalysis. 29. Optically active primary amines by enantioselective catalytic hydrosilylation of ketoximes. *Organometallics* (1986), 5(4), 739-46.

Brunner, Henri; Muschiol, Manfred. (+)₃₆₅- and (+)₃₆₅-Carbonyl(η -cyclopentadienyl)[(S)- α -methyl-N-(2-pyridinylmethylene)benzethaneamine-N,N']molybdenum-hexafluorophosphate. *Organometallic Synthesis 3*, Elsevier, Amsterdam, (1986), 77-80.

Brunner, Henri; Muschiol, Manfred. (+)₄₃₆- and (+)₄₃₆-Carbonyl(η -cyclopentadienyl)iodo[(S)-N-methyl-N-(1-phenylethyl)amino-diphenylphosphane]iron. *Organometallic Synthesis 3*, Elsevier, Amsterdam, (1986), 73-76.

Brunner, Henri; Knott, Alfons; Benn, Reinhard; Rufinska, Anna. Asymmetric catalysis. XXVII. Rhodium complexes with tropolone derived optically active ligands. *Journal of Organometallic Chemistry* (1985), 295(2), 211-21.

Brunner, Henri; Knott, Alfons. Asymmetric catalysis. 25. $C_5H_5Mn(CO)_2$ complexes of optically active chelate phosphines as monodentate ligands in enantioselective catalysis. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie* (1985), 40B(10), 1243-9.

Bernal, Ivan; Reisner, George M.; Brunner, Henri; Riepl, Georg. Optically active transition-metal compounds, LXXXIX. Stereochemistry and crystal structure determination of $[(\eta^5-C_5H_5)CoINC_5H_4C(Me):NCH(CH_3)(C_6H_5)]^+I^-$. *Inorganica Chimica Acta* (1985), 103(2), 179-85.

Brunner, Henri; Groetzinger, Ludwig; Weber, Hannelore. Products from the reaction of pyrrolimines and chlorodiphenylphosphine. *Inorganica Chimica Acta* (1985), 103(1), 19-21.

Brunner, Henri; Schmidt, Manfred; Unger, Gerfried; Schoenenberger, Helmut. Inhibition of cell growth and [3H]-thymidine incorporation in human mammary carcinoma cell line MDA-MB 231 by platinum(II) chloride complexes of 1,2-diaminoethanes derived from amino acids. *European Journal of Medicinal Chemistry* (1985), 20(6), 509-12.

Brunner, Henri; Meier, Walter; Wachter, Joachim; Pfisterer, Heike; Ziegler, Manfred L. Synthesis of PR_3 (R = Ph, OMe) substituted cubanelike clusters of the $M_2M'_2S_4$ -type and molecular structure of $(C_5Me_5)_2Cr_2Co_2\{P(OMe)_3\}_2(\mu^3-S)_4$. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie* (1985), 40B(7), 923-6.

Bernal, Ivan; Ries, Wolfgang; Brunner, Henri; Rastogi, Devendra K. Optically active transition metal compounds. LXXXI. Crystal structure of $(+)_546-[C_5H_5Mo(CO)_2LL^*]PF_6$ ($LL^* = 2$ -benzoylpyridine-(R)-1-phenylethylimine). *Journal of Organometallic Chemistry* (1985), 290(3), 353-64.

Brunner, Henri; Janietz, Norbert; Meier, Walter; Sergeson, Gertrud; Wachter, Joachim; Zahn, Thomas; Ziegler, Manfred L. $(\eta^5-C_5Me_5)_2Fe_2S_4$ and $(\eta^5-C_5Me_5)_2Co_2S_4$, two new sulfur-rich bis(pentamethylcyclopentadienyl) metal complexes. *Angewandte Chemie* (1985), 97(12), 1056-7.

Becker, Richard; Brunner, Henri; Mahboobi, Siavosh; Wiegrebe, Wolfgang. Asymmetric catalysis. 28. Enantioselective hydrosilylation of prochiral 3,4-dihydro-2H-pyrrole derivatives. *Angewandte Chemie* (1985), 97(11), 969-70.

Brunner, Henri; Weber, Hannelore. Asymmetric catalyses. 23. Optically active aminophosphines - synthesis and use in the rhodium-catalyzed enantioselective hydrosilylation. *Chemische Berichte* (1985), 118(8), 3380-95.

Brunner, Henri; Beier, Peter; Riepl, Georg; Bernal, Ivan; Reisner, George M.; Benn, Reinhard; Rufinska, Anna. Asymmetric catalyses. 16. Catalysts $(cod)RhNN'$ and $[(cod)RhNN'']PF_6$ (NN' and $NN'' =$ optically active pyrrole and pyridine imines). *Organometallics* (1985), 4(10), 1732-9.

Brunner, Henri; Becker, Richard. Asymmetric catalyses. Part 26. Cleavage of a carbon-carbon bond in the catalytic hydrosilylation of camphor oxime. *Angewandte Chemie* (1985), 97(8), 713-14.

Brunner, Henri; Hammer, Benedikt; Krueger, Carl; Angermund, Klaus; Bernal, Ivan. Solid-state conformations of compounds $(arene)L_2MP(C_6H_5)_3$ and $(arene)LL'MP(C_6H_5)_3$. *Organometallics* (1985), 4(6), 1063-8.

Brunner, Henri; Vitulli, Giovanni; Porzio, William; Zocchi, Marcello. Asymmetric catalysis. Part 19. X-ray structure analysis of $(renorphos)NiCl_2$

and (renorphos)₂Ni, renorphos = trans-2,3-bis(diphenylphosphino)-bicyclo[2.2.1]heptane. *Inorganica Chimica Acta* (1985), 96(1), 67-75.

Bernal, Ivan; Reisner, George M.; Brunner, Henri; Riepl, Georg. Optically active transition-metal compounds. XXII. Stereochemistry and crystal structure determination of (η^5 -C₅H₅)CoI(NC₄H₃C(R):N(S)-CH(CH₃)(C₆H₅)) (R = H, CH₃). *Journal of Organometallic Chemistry* (1985), 284(1), 115-28.

Brunner, Henri; Beier, Peter; Frauendorfer, Erich; Muschiol, Manfred; Rastogi, Devendra K.; Wachter, Joachim. Diastereomer splitting in the Molybdenum-95 NMR spectra of compounds differing only in the molybdenum configuration. *Inorganica Chimica Acta* (1985), 96(1), L5-L9.

Brunner, Henri; Kauermann, Heike; Klement, Ulrich; Wachter, Joachim; Zahn, Thomas; Ziegler, Manfred L. Synthesis of [(C₅Me₅)₂Mo₂XS₃Co(CO)₂] (X = P, As) clusters and the structural characterization of the μ^2, η^2 -AsS ligand. *Angewandte Chemie* (1985), 97(2), 122.

Brunner, Henri; Janietz, Norbert; Wachter, Joachim; Zahn, Thomas; Ziegler, Manfred L. New molybdenum-iron-sulfur clusters prepared from (C₅Me₅)₂Mo₂S₄ and iron pentacarbonyl or iron nonacarbonyl [Fe₂(CO)₉]. *Angewandte Chemie* (1985), 97(2), 122-124.

Brunner, Henri; Weichang, Li; Weber, Hannelore. Asymmetrische Katalysen, XXIV. Cross-Coupling von 1-Phenylethyl-Grignard und Vinylbromid mit Ni-Katalysatoren optisch aktiver P/N-Liganden. *Journal of Organometallic Chemistry* (1985), 288, 359-363.

Brunner, Henri. Enantioselective Catalysis with Transition Metal Complexes. International Symposium on Catalytic Reduction and Syntheses. Karpacz (1985).

Brunner, Henri. Enantioselective Hydrosilylation of Prochiral Ketones, Imines. Oximes with Transition Metal Catalysts. GECOM XIII, Mont Saint Odile (1985).

Brunner, Henri. Conformational Analysis of Organometallic Compounds and Enantioselective Catalysis. ACS Meeting, Miami (1985).

Brunner, Henri. New Antitumor Pt(II) Complexes. WEH-Seminar über Antitumor-Verbindungen, Bad Honnef (1985).

Brunner, Henri; Miehling, Wolfgang. Asymmetric catalyses. 21. Enantioselective cyclopropanation of 1,1-diphenylethylene and diazoacetic acid ester with copper catalysts. *Monatshefte fuer Chemie* (1984), 115(10), 1237-54.

Brunner, Henri; Miehling, Wolfgang. Asymmetric catalyses. XXII. Enantioselective hydrosilylation of ketones with copper(I) catalysts. *Journal of Organometallic Chemistry* (1984), 275(2), C17-C21.

Brunner, Henri; Agrifoglio, Giuseppe. Optically active transition metal complexes. 87. Synthesis of porphyrin complexes containing chiral iron atoms. Demonstration of iron chirality by proton NMR spectroscopy. *Inorganica Chimica Acta* (1984), 90(3), 209-13.

Brunner, Henri; Becker, Richard; Riepl, Georg. Asymmetric syntheses. 20. Enantioselective hydrosilylation of ketones with $[\text{Rh}(\text{cod})\text{Cl}]_2$ /thiazolidine catalysts. *Organometallics* (1984), 3(9), 1354-9.

Bernal, Ivan; Brunner, Henri; Meier, Walter; Pfisterer, Heike; Wachter, Joachim; Ziegler, Manfred L. Reactivity of M-M multiple bonds in metal carbonyl derivatives. Part 8. Ligand formation from the arsenic sulfide (As_4S_4) cage and $[\text{C}_5\text{Me}_5(\text{CO})_2\text{Mo}]_2$: formation of $(\text{C}_5\text{Me}_5)_2\text{Mo}_2(\text{CO})_4(\mu, \eta^4\text{-As}_2)$, $\text{C}_5\text{Me}_5(\text{CO})_2\text{Mo}(\eta^3\text{-As}_3)$ and $(\text{C}_5\text{Me}_5)_2\text{Mo}_2\text{As}_2\text{S}_3$. *Angewandte Chemie* (1984), 96(6), 428-9.

Brunner, Henri; Reiter, Barbara; Riepl, Georg. Asymmetric catalyses, 14. Enantioselective hydrosilylation of prochiral ketones with rhodium and platinum complexes of optically active nitrogen chelate ligands. *Chemische Berichte* (1984), 117(4), 1330-54.

Brunner, Henri; Rahman, A. F. M. Mokhlesur; Bernal, Ivan. X-ray structure analysis of $(-)\text{-C}_5\text{H}_5\text{Fe}(\text{CO})[(2R,3R)\text{-Norphos}]\text{PF}_6$ and a set of measures to describe metal/phosphine chelate rings with respect to chirality transfer in transition metal catalysts. *Inorganica Chimica Acta* (1984), 83(3), L93-L96.

Brunner, Henri; Kauermann, Heike; Wachter, Joachim. Reaction of sulfur-rich complexes $(\text{C}_5\text{Me}_5)_2\text{Mo}_2\text{S}_4$ and $(\text{C}_5\text{Me}_5)_2\text{Cr}_2\text{S}_5$ with the M-M triple bond of complexes $[\eta^5\text{-C}_5\text{R}_5(\text{CO})_2\text{M}']_2$ ($\text{R} = \text{H, Me; M}' = \text{Cr, Mo, W}$) to tri- and tetranuclear clusters with M_3S_4 or M_4S_4 structure. *Journal of Organometallic Chemistry* (1984), 265(2), 189-98.

Brunner, Henri; Kauermann, Heike; Meier, Walter; Wachter, Joachim. Study on the properties of an unusual disulfur ligand: comparative analysis on the chemistry of $(\text{C}_5\text{Me}_5)_2\text{Cr}_2\{(\mu, \eta^1\text{-S}_2)(\mu, \eta^2\text{-S}_2)(\mu\text{-S})\}$ and $(\text{C}_5\text{Me}_5)_2\text{Mo}_2(\mu, \eta^2\text{-S}_2)(\mu\text{-S})_2$. *Journal of Organometallic Chemistry* (1984), 263(2), 183-92.

Brunner, Henri; Hammer, Benedikt. Asymmetric catalyses. Part 18. Enantioselective Michael additions using optically active cobalt(II)/diamine catalysts. *Angewandte Chemie* (1984), 96(4), 305-6.

Brunner, Henri; Rahman, A. F. M. Mokhlesur. Asymmetric catalyses. 12. New optically active phosphorus, nitrogen ligands and their use in rhodium catalyzed asymmetric hydrogenation and hydrosilylation. *Chemische Berichte* (1984), 117(2), 710-24.

Brunner, Henri; Becker, Richard. Asymmetric catalyses. Part 15. Enantioselective catalytic hydrosilylation of oximes. *Angewandte Chemie* (1984), 96(3), 221.

Brunner, Henri; Weber, Hannelore; Bernal, Ivan; Reisner, George M. Optically active transition-metal compounds. 80. Synthesis, stereochemistry, and X-ray analysis of allylcarbonylnitrosyl(aminophosphine)iron complexes. *Organometallics* (1984), 3(1), 163-70.

Bernal, Ivan; Brunner, Henri; Wachter, Joachim. Crystal and Molecular Structure of Triclinic $[\text{C}_5\text{H}_5(\text{CO})_2\text{Mo}]_2(\mu, \eta^2\text{-CNC}_6\text{H}_5)$ and Comparison with its Monoclinic Form. *Journal of Organometallic Chemistry* (1984), 277, 395-401.

Wappes, B.; Jennerwein, M.; von Angerer, Erwin; Engel, Jürgen; Schönenberger, Helmut; Brunner, Henri; Schmidt, Manfred; Berger, M.; Schmähl, D.; Seeber, S. The Tumor-Inhibiting Effect of Isomeric Dichloro(diphenylethylenediamine)platinum(II) Complexes. *Journal of Cancer Research Clinical Oncology* (1984), 107, 15-20.

Brunner, Henri. WEH-Seminar: Enantioselektive Katalyse 1983. *Nachrichten aus Chemie, Technik und Laboratorium* (1984), 32, 427-.

Brunner, Henri. WEH-Seminar: "Enantioselektive Katalyse 1983. *Physikalische Blätter* (1984), 40, 136.

Brunner, Henri. Enantioselektive Katalyse. *Arbeitsgemeinschaft Anorganische Chemie (GDCh). 2. Vortragstagung, Königstein* (1984).

Agrifoglio, Giuseppe; Brunner, Henri. Sintesis de Nuevos Sistemas 1-Azaquinolinio (Synthesis of Novel 1-Azaquinolizinium Systems). *Acta Cientifica Venezolana* (1984), 35, 403.

Brunner, Henri; Rahman, A. F. M. Mokhlesur. Asymmetric catalyses. 13. Chelate ligands and their rhodium complexes with lateral asymmetric centers and their use in enantioselective catalysis. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie* (1983), 38B(11), 1332-8.

Brunner, Henri; Schoenhammer, Beate; Schoenhammer, Bernhard; Steinberger, Christine. Asymmetric catalyses. 11. Calculation of enantioselectivities in the rhodium-catalyzed hydrogenation of amino acid precursors using the Ruch/Ugi model. *Chemische Berichte* (1983), 116(11), 3529-38.

Brunner, Henri. Rhodium catalysts for enantioselective hydrosilylation - a new concept for development of asymmetric catalysts. *Angewandte Chemie* (1983), 95(12), 921-31.

Brunner, Henri; Hoffmann, Beate; Wachter, Joachim. Reactivity of M-M multiple bond in metal carbonyl derivatives. VII. Activation of carbodiimides by $[\eta\text{-C}_5\text{H}_5(\text{CO})_2\text{Mo}]_2$ as $\mu(\eta^1:\eta^2)$ ligand with the preservation of the molybdenum-molybdenum triple bond. *Journal of Organometallic Chemistry* (1983), 252(2), C35-C38.

Brunner, Henri; Schoenhammer, Beate. Optically active transition metal complexes. 84. Substituent effects in diastereomer equilibria of square-pyramidal molybdenum complexes. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie* (1983), 38B(7), 852-7.

Brunner, Henri; Riepl, Georg; Benn, Reinhard; Rufinska, Anna. Optically active transition metal complexes. LXXXV. Preparation, properties and conformational analysis of optically active cyclopentadienylcobalt complexes. *Journal of Organometallic Chemistry* (1983), 253(1), 93-115.

Brunner, Henri; Hammer, Benedikt; Bernal, Ivan; Draux, Madeleine. Optically active transition-metal complexes. 85. The BF_3 -promoted carbonylation of $\text{CpFe}(\text{CO})(\text{L})\text{Me}$ compounds - a reaction stereospecific at low temperatures. *Organometallics* (1983), 2(11), 1595-603.

Brookhart, M.; Timmers, D.; Tucker, J. R.; Williams, G. D.; Husk, G. Ronald; Brunner, Henri; Hammer, Benedikt. Enantioselective cyclopropane synthesis using the chiral carbene complexes $(\text{S}_{\text{Fe}}, \text{S}_{\text{C}})$ - and $(\text{R}_{\text{Fe}}, \text{S}_{\text{C}})$ - $(\text{C}_5\text{H}_5)(\text{CO})(\text{Ph}_2\text{R}^*\text{P})\text{Fe}:\text{CHCH}_3^+$ ($\text{R}^* = (\text{S})$ -2-methylbutyl). Role of metal vs. ligand chirality in the optical induction. *Journal of the American Chemical Society* (1983), 105(22), 6721-3.

Brunner, Henri; Muschiol, Manfred. Optically active transition metal complexes. LXXXIII. Configurationally stable tetrahedral $\text{NiNi}'\text{CC}'$ clusters. *Journal of Organometallic Chemistry* (1983), 248(2), 233-9.

Brunner, Henri; Kauermann, Heike; Wachter, Joachim. A general synthesis method for cubane-type $\text{M}_2\text{Fe}_2\text{S}_4$ ($\text{M} = \text{Cr}, \text{Mo}$) heterometal clusters. *Angewandte Chemie* (1983), 95(7), 567-8.

Brunner, Henri; Meyer, Wilfried; Wachter, Joachim. Synthesis of new aminocarbenechloromolybdenum complexes from $\text{C}_5\text{H}_5(\text{CO})_3\text{MoNa}$ and *N*-methylbenzimidoyl chloride, $\text{C}_6\text{H}_5\text{C}(\text{Cl}):\text{NCH}_3$. *Journal of Organometallic Chemistry* (1983), 243(4), 437-41.

Brunner, Henri; Buchner, Hildegard; Wachter, Joachim; Bernal, Ivan; Ries, Wolfgang H. Reactivity of the metal-metal multiple bond in metal carbonyl derivatives. VI. Investigation into the reaction of $[\text{C}_5\text{Me}_5(\text{CO})_2\text{Mo}]_2$ with MeNCS - formation and crystal structure of $(\text{C}_5\text{Me}_5)_2(\text{CO})_4\text{Mo}_2(\mu, \eta^2\text{-C}=\text{NMe})$. *Journal of Organometallic Chemistry* (1983), 244(3), 247-55.

Brunner, Henri; Riepl, Georg; Weitzer, Helgard. Enantioselective hydrosilylation of acetophenone with rhodium-thiazolidine catalysts. *Angewandte Chemie* (1983), 95(4), 326.

Brunner, Henri; Wachter, Joachim; Bernal, Ivan; Reisner, George M.; Benn, Reinhard. Studies on the structure and stereochemistry of addition products of nucleophiles to *N*-methylbenzimidide chloride derived carbene chelate complexes. *Journal of Organometallic Chemistry* (1983), 243(2), 179-89.

Brunner, Henri; Miehling, Wolfgang. Optically active transition metal complexes. Part 82. Optically active iron complexes with tetrahedral structures. *Angewandte Chemie* (1983), 95(2), 162.

Brunner, Henri. Chiral CpMo(CO)₂ Complexes. Diastereomer Equilibria and Conformational Analysis. Relevance to Asymmetric Catalysis. International Conference on Cr, Mo, W Compounds. Brighton (1983).

Brunner, Henri. Asymmetrische Katalyse mit Übergangsmetall-Komplexen. BASF-Ferienkurs für Hochschullehrer. Ludwigshafen, (1983).

Brunner, Henri; Wachter, Joachim. Investigation of the formation of new bimetallic clusters of the type $(\eta\text{-C}_5\text{Me}_5)_2\text{M}_2\text{M}'_2(\mu^3\text{-S})_4(\text{CO})_2$ (M = Cr, Mo; M' = Co), containing the M₂M'₂S₄ core. *Journal of Organometallic Chemistry* (1982), 240(2), C41-C44.

Frauendorfer, Erich; Brunner, Henri. Optically active polypyrazolylborate molybdenum complexes with aminophosphines as chiral ligands. *Journal of Organometallic Chemistry* (1982), 240(4), 371-9.

Brunner, Henri; Wachter, Joachim; Wintergerst, Hildegard. Reactivity of M-M multiple bonding in metal carbonyl derivatives. V. Reaction of $(\eta^5\text{-C}_5\text{Me}_5)_2\text{M}_2(\text{CO})_4$ (M = Mo, W) with elemental selenium. *Journal of Organometallic Chemistry* (1982), 235(1), 77-81.

Brunner, Henri; Muschiol, Manfred; Dove, Michael F. A. Optically active transition metal complexes. Part 79. Optically active organoiron enantiomers formed by hydrogen fluoride cleavage of the phosphorus-nitrogen bond in the aminophosphine ligand of separated diastereoisomers. *Journal of the Chemical Society, Dalton Transactions: Inorganic Chemistry* (1972-1999) (1982), (8), 1527-9.

Brunner, Henri; Proebster, Manfred. Asymmetric catalyses. 7. (+)- and (-)-MeNorphos as ligands in rhodium-catalyzed asymmetric olefin hydrogenation. *Inorganica Chimica Acta* (1982), 61(1), 129-33.

Brunner, Henri; Meier, Walter; Wachter, Joachim; Guggolz, Ernst; Zahn, Thomas; Ziegler, Manfred L. Investigation into the reactivity of the metal-metal triple bond in $[\text{Cp}'(\text{CO})_2\text{M}]_2$ (Cp' = $\eta^5\text{-C}_5\text{Me}_5$, M = Mo, W) vs. elemental sulfur. Formation of different Cp'₂M₂S₄ isomers and crystal structures of Cp'₂Mo₂($\mu\text{-S}_2$)($\mu\text{-S}$)₂ and Cp'₂(CO)₂W₂($\mu\text{-S}$)₂S. *Organometallics* (1982), 1(9), 1107-13.

Brunner, Henri; Riepl, Georg. Asymmetric hydrosilylation of acetophenone with rhodium complexes of optically active Schiff bases. *Angewandte Chemie* (1982), 94(5), 369-70.

Brunner, Henri; Dylla, Monika E.; Hecht, Gabriele A. M.; Pieronczyk, Willigis. Synthesis of α -diphenylphosphine carbonyl compounds by reaction of bromomethylcarbonyl compounds with

diphenyl(trimethylsilyl)phosphine. Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie (1982), 37B(4), 404-6.

Brunner, Henri; Kerkien, Gundelinde; Wachter, Joachim. Thermal reaction of $C_5H_5(CO)_2FeNa$ with benzimide chlorides $C_6H_5(Cl)C:NR$. Journal of Organometallic Chemistry (1982), 224(3), 295-300.

Brunner, Henri; Wachter, Joachim; Guggolz, Ernst; Ziegler, Manfred L. Synthesis and crystal structure of $(\eta^5-C_5Me_5)_2Cr_2S_5$ containing an unusual bridging disulfur ligand $\eta^1, \mu-S, S$. Journal of the American Chemical Society (1982), 104(6), 1765-6.

Brunner, Henri; Koch, Heinrich. Bis(arene)chromium complexes. Synthesis by cocondensation; IR spectroscopic, cyclovoltammetric and kinetic studies. Chemische Berichte (1982), 115(1), 65-83.

Brunner, Henri; Kerkien, Gundelinde; Wachter, Joachim. Preparation of cationic $C_5H_5(CO)_2Fe$ aminocarbene complexes from $Na[C_5H_5(CO)_2Fe]$ and benzimide chlorides in the presence of hydrogen chloride. Journal of Organometallic Chemistry (1982), 224(3), 301-4.

Brunner, Henri. Asymmetric synthesis and chirality transmission. Transition Metal Chemistry – Current Problems of General, Biological and Catalytical Relevance. Verlag Chemie, Weinheim (1981), 265-286.

Brunner, Henri. Asymmetric catalysis with transition metal complexes. Kontakte (Darmstadt) (1981), (3), 3-12.

Brunner, Henri; Agrifoglio, Giuseppe; Benn, Reinhard; Rufinska, Anna. Optically active transition metal complexes. LXXVII. Conformation analysis of $C_5H_5(CO)_2Mo$ -amidinato complexes by nuclear Overhauser effect. Journal of Organometallic Chemistry (1981), 217(3), 365-71.

Brunner, Henri; Rahman, A. F. M. Mokhlesur. Optically active transition metal compounds. LXXVI. Chelate complexes of Norphos. Diastereoisomers with opposite metal configuration exhibiting similar chiroptical properties. Journal of Organometallic Chemistry (1981), 214(3), 373-80.

Brunner, Henri; Vogt, Heinz. Optically active transition metal complexes. LXXIII. Stereochemistry at the iron atom in rearrangement, epimerization, and ligand exchange reactions of the complexes $C_5H_5Fe(CO)(COR)L$. Chemische Berichte (1981), 114(6), 2186-207.

Brunner, Henri; Meier, Walter; Wachter, Joachim. Addition of CS_2 to the MoMo triple bond in $(C_5R_5)_2Mo_2(CO)_4$ (R = H, Me): formation of a new binuclear η^2-CS_2 complex. Journal of Organometallic Chemistry (1981), 210(2), C23-C25.

Brunner, Henri; Vogt, Heinz. Optically active transition metal complexes. LXXIV. New optically active complexes of the type $C_5H_5Fe(COCH_3)(L)L'$ and

$C_5H_5Fe(CO)(R)L$. Journal of Organometallic Chemistry (1981), 210(2), 223-36.

Brunner, Henri; Pieronczyk, Willigis; Schoenhammer, Beate; Streng, Karin; Bernal, Ivan; Korp, Jim. Asymmetric catalyses. V. Enantioselective amino acid synthesis by hydrogenation of prochiral olefins with rhodium complexes of the new optically active chelating phosphine Norphos. Chemische Berichte (1981), 114(3), 1137-49.

Brunner, Henri. Synthesis of optically active compounds by asymmetric catalysis. Deutsche Apotheker Zeitung (1981), 121(19), 952-7.

Brunner, Henri; Vogt, Heinz. Optically active transition metal complexes. Carbonylation of $C_5H_5Fe(CO)(CH_3)L$ - a carbon monoxide insertion and no methyl migration. Angewandte Chemie (1981), 93(4), 409-10.

Brunner, Henri; Pröbster, Manfred. Asymmetrische Katalysen, VI. $NiCl_2$ -(-)-Norphos-katalysierte Cross-Coupling-Reaktion von 1-Phenylethyl-Grignard mit Vinylbromid. Journal of Organometallic Chemistry (1981), 209, C1-C3.

Brunner, Henri; Vogt, Heinz. The Carbonylation of $C_5H_5Fe(CO)(L)CH_3$ – not a Methyl Migration But a Real Carbonyl Insertion. 10th International Conference of Organometallic Chemistry. Toronto (1981).

Brunner, Henri; Rastogi, Devendra K. Optically active transition metal complexes, LXXI. Synthesis, characterization, and conformational analysis of pyridine-imine complexes $[C_5H_5(CO)_2MoNC_5H_4CX = NCH(R_1)(R_2)]PF_6$ with X = hydrogen, methyl, and phenyl. Bulletin des Societes Chimiques Belges (1980), 89(10), 883-96.

Brunner, Henri; Agrifoglio, Giuseppe. Optically active transition metal complexes. LXXII. "Mixed-type", "looser-type" and "winner-type" conformations in $C_5H_5(CO)_2Mo$ -benzamidinato complexes with chiral substituents in the chelation. Journal of Organometallic Chemistry (1980), 202(2), C43-C48.

Brunner, Henri. Asymmetric catalysis using rhodium-phosphine complexes. Chemie in Unserer Zeit (1980), 14(6), 177-83.

Brunner, Henri; Leblanc, Jean Claude. Optically active transition metal complexes. LXX. Preparation of the optically active diastereoisomers $C_5H_5Fe(CO)(CH_2OCH_3)P(C_6H_5)_2N(CH_3)R$ with chiral iron atoms. Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie (1980), 35B(11), 1491-3.

Brunner, Henri; Pieronczyk, Willigis. Optically active tertiary phosphine oxides and tertiary phosphines and use of the latter for asymmetric syntheses. Ger. Offen. (1980), 19 pp.

Brunner, Henri; Wachter, Joachim. Stereoselective hydride addition of N-methylbenzimidazole derived carbene chelate complexes. Journal of

Organometallic Chemistry (1980), 201(2), 453-7.

Brunner, Henri. Chiral metal atoms in optically active organotransition metal compounds. *Advances in Organometallic Chemistry* (1980), 18 151-206.

Bernal, Ivan; Creswick, Michael; Brunner, Henri; Agrifoglio, Giuseppe. Conformational analysis and chirality transmission in organometallic compounds: X-ray structure analysis of $C_5H_5(CO)_2MoN(CH_2C_6H_5)C(C_6H_5)N-[CH(CH_3)(C_6H_5)]$. *Journal of Organometallic Chemistry* (1980), 198(1), C4-C6.

Brunner, Henri; Lukassek, Juergen; Agrifoglio, Giuseppe. Optically active transition metal complexes. Part LXVII. Conformational analysis of the diastereomer equilibrium of tetragonal-pyramidal $C_5H_5(CO)_2Mo$ -amidinato complexes. *Journal of Organometallic Chemistry* (1980), 195(1), 63-76.

Brunner, Henri; Muschiol, Manfred; Bernal, Ivan; Reisner, George M. Optically active transition metal complexes. LXVIII. Preparation, epimerization, X-ray structural analysis and absolute configuration of $(-)_{546}-C_7H_7Mo(CO)(PN^*)I$. *Journal of Organometallic Chemistry* (1980), 198(2), 169-78.

Brunner, Henri; Wachter, Joachim. Reactions of metalated amidines with carbon disulfide and tricarbonyl(chloro)- η -cyclopentadienylmolybdenum. *Journal of Chemical Research, Synopses* (1980), (9), 328-9.

Brunner, Henri; Agrifoglio, Giuseppe; Bernal, Ivan; Creswick, Michael W. Optically active transition metal complexes. 66. Conformation analysis of 1-phenylethyl substituents in metal complexes and their significance for asymmetric catalysis. *Angewandte Chemie* (1980), 92(8), 645-6.

Brunner, Henri; Pieronczyk, Willigis. Asymmetric catalyses. Part 11. Phosphorus derivatives of mannitol, xylose, and glucose. *Journal of Chemical Research, Synopses* (1980), (3), 74-5.

Brunner, Henri; Pieronczyk, Willigis. Asymmetric catalyses. Part III. Asymmetric hydrogenation of (Z)- α -acetamidocinnamic acid with phosphorus derivatives of sugars, tartaric acid, menthol, and 1-phenylethylamine as ligands in rhodium catalysts. *Journal of Chemical Research, Synopses* (1980), (3), 76.

Brunner, Henri; Vogt, Heinz. Optically active transition metal complexes. LXIV. New optically active cyclopentadienylcarbonylironacyl complexes with aminophosphine ligands. *Journal of Organometallic Chemistry* (1980), 191(1), 181-92.

Heckmann, Klaus; Brunner, Henri; Dobias, Bohuslav. Rubber composition with improved aging resistance. *Ger. Offen.* (1980), 18 pp.

Brunner, Henri; Agrifoglio, Giuseppe. Asymmetric catalyses. Part 4. Hydrogenation of prochiral olefins with rhodium complexes of optically

active amidines. Monatshefte fuer Chemie (1980), 111(1), 275-87.

Brunner, Henri; Rastogi, Devendra K. Optically active transition-metal complexes. 65. Conformational analysis in diastereoisomer equilibria of square-pyramidal dicarbonylcyclopentadienylmolybdenum-pyridine-2-carbaldimine complexes using the Ruch Ugi rules. Inorganic Chemistry (1980), 19(4), 891-5.

Brunner, Henri. Chiralität und asymmetrische Katalyse. Deutsche Apotheker Zeitung (1980), 120(24), 1131.

Brunner, Henri; Agrifoglio, Giuseppe; Lukas, Rainer; Wachter, Joachim. Conformation of Optically Active Substituents in Transition Metal Compounds and Asymmetric Catalysis. NMR Spectroscopy and Diastereomer Ratios. 2nd Conference on Homogeneous Catalysis. Düsseldorf (1980).

Brunner, Henri. Inorganic Molecular Dissymmetry. Naturwissenschaften (1980), 67, 157.

Brunner, Henri; Bauer, Isabella; Lukas, Rainer. Optically active transition metal complexes, LXIII. Asymmetric induction in $C_5H_5Mo(CO)_2LX$. Diastereoisomer equilibria. Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie (1979), 34B(10), 1418-23.

Brunner, Henri. Asymmetric homogeneous hydrogenation of prochiral olefins and control of the metal configuration in labile optically active organotransition metal complexes. Jerusalem Symposia on Quantum Chemistry and Biochemistry, 12 (Catal. Chem. Biochem.: Theory Exp.), D. Reidel Publishing Company (1979), 255-64.

Brunner, Henri; Wachter, Joachim. Stabilization of N-alkyl-N-(iminoacyl)dithiocarbamates in cyclopentadienyldicarbonylmolybdenum derivatives. Journal of Organometallic Chemistry (1979), 175(2), 285-92.

Brunner, Henri. Chirality and asymmetric catalysis. Naturwissenschaftliche Rundschau (1979), 32(10), 393-7.

Brunner, Henri; Wachter, Joachim; Bernal, Ivan; Creswick, Michael. Synthesis and X-ray structural analysis of a molybdenum complex with η^2 -coordinated benzaldehyde; conversion of a carbon monoxide ligand by double α -addition. Angewandte Chemie (1979), 91(11), 920-1.

Brunner, Henri; Pieronczyk, Willigis. Asymmetric hydrogenation of (Z)- α -(acetylamino)cinnamic acid with a rhodium/norphos catalyst. Angewandte Chemie (1979), 91(8), 655-6.

Brunner, Henri; Nelson, Gregory O. Unusual route to and rearrangement of four-membered ring complexes $C_5H_5Fe(CO)[Ph_2PN(R)CHPh]$. Journal of Organometallic Chemistry (1979), 173(3), 389-95.

Brunner, Henri; Lukas, Rainer. Optically active transition metal complexes.

LX. The equilibriums of the diastereomers of dicarbonyl(cyclopentadienyl)-molybdenum-thioamidato complexes with chiral thioamides. *Chemische Berichte* (1979), 112(7), 2528-38.

Brunner, Henri; Schwaegerl, Heinrich; Wachter, Joachim. Synthesis of substituted metalla-aziridines by the reaction of cyclopentadienyldicarbonyl metal ($C_5H_5(CO)_2M$) chelate complexes ($M =$ molybdenum, tungsten) with nucleophiles. *Chemische Berichte* (1979), 112(6), 2079-86.

Brunner, Henri. Optical induction in organo-transition-metal compounds and asymmetric catalysis. *Accounts of Chemical Research* (1979), 12(7), 250-7.

Brunner, Henri; Nowak, Wilfried; Rastogi, Devendra K. Optically active transition metal complexes. Part 62. Synthesis and stereochemistry of the $C_5H_5(CO)_2Mo$ complex with cysteine methylester. *Inorganica Chimica Acta* (1979), 33(1), L115-L116.

Brunner, Henri. Inorganic Molecular Dissymmetry. *Nachrichten aus Chemie, Technik und Laboratorium* (1979), 27, 728.

Brunner, Henri. Structure and Bonding. *Naturwissenschaften* (1979), 66, 478.

Brunner, Henri. Optisch aktive metallorganische Verbindungen der Übergangselemente. *Chimia* (1978), 32, 60-62.

Brunner, Henri. Optical activity [of organoiron compounds]. *Org. Chem. Iron* (1978), 1, 299-343.

Reisner, M. George; Bernal, Ivan; Brunner, Henri; Doppelberger, Johann. Absolute configurations of organometallic compounds. Part 6. The crystal structure and absolute configuration of $(-)_578$ -carbonyl(η -cyclopentadienyl){[(S)-methyl(1-phenylethyl)amino]diphenylphosphine}nitrosylmolybdenum. *Journal of the Chemical Society, Dalton Transactions: Inorganic Chemistry* (1978), (12), 1664-70.

Reisner, George M.; Bernal, Ivan; Brunner, Henri; Muschiol, Manfred; Siebrecht, Barbara. Synthesis, epimerization, X-ray structure, and absolute configuration of an optically active molybdenum complex having five independent ligands. *Journal of the Chemical Society, Chemical Communications* (1978), (16), 691-2.

Brunner, Henri; Vogt, Heinz. Optically active transition metal complexes, LIX. $(+)_436^-$ and $(-)_436^-$ - $C_5H_5Fe(CO)(COCH_3)PPh_2R^*$. The equilibrium $C_5H_5Fe(CO)_2CH_3 + PR_3 = C_5H_5Fe(CO)(COCH_3)PR_3$. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie* (1978), 33B(11), 1231-4.

Brunner, Henri; Spettel, Guenther. Optically active transition metal complexes. LVIII. Preparation and epimerization of $(+)_436^-$ and

(-)₄₃₆-C₅H₅(CO)₂Mo derivatives of pyrimidine-(2)- and -(3)-carboxylic acid thioamides. Journal of Organometallic Chemistry (1978), 160(1), 149-58.

Brunner, Henri; Lukas, Rainer; Woditsch, Annamaria. (η -C₅H₅)(CO)₂W{ η ³-C₅H₅[(η -C₅H₄)₂Fe]} - a new iron- and tungsten-containing binuclear complex. Journal of Organometallic Chemistry (1978), 161(2), C49-C52.

Brunner, Henri; Wachter, Joachim. Newdicarbonylcyclopentadienyl-molybdenum complexes with two imido groups. Journal of Organometallic Chemistry (1978), 155(2), C29-C33.

Atwood, Jerry L.; Rogers, Robin D.; Hunter, William E.; Bernal, Ivan; Brunner, Henri; Lukas, Rainer; Schwarz, Wolfgang. X-ray structure of [(η ⁵-C₅H₅)W(CO)₂C₁₅H₁₅]: a compound containing three unusually bonded five-membered rings. Journal of the Chemical Society, Chemical Communications (1978), (11), 451-2.

Brunner, Henri; Wachter, Joachim. Reactions of amidines and metalated amidines with tricarbonyl(chloro)cyclopentadienylmolybdenum. Journal of Chemical Research, Synopses (1978), (4), 136-7.

Brunner, Henri; Wachter, Joachim. Zur Reaktion von Amidinen und metallierten Amidinen mit Tricarbonyl(chloro)cyclopentadienylmolybdenum. Journal of Chemical Research, Manuscripts (1978), 1801-1812.

Brunner, Henri; Muschiol, Manfred; Nowak, Wilfried. Optically active transition metal complexes, LVII. (+)- and (-)-C₅H₅M(CO)(PPh₂R*)X with M = Fe, ⁵⁷Fe, and X = iodo, COMe, Me. Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie (1978), 33B(4), 407-11.

Brunner, Henri; Schwaegerl, Heinrich; Wachter, Joachim; Reisner, George M.; Bernal, Ivan. Ring contraction in the reaction of cationic cyclopentadienyl(dicarbonyl)molybdenum chelate complexes with methyllithium. Angewandte Chemie (1978), 90(6), 478-9.

Brunner, Henri; Muschiol, Manfred. Optically active transition metal complexes, LV. Preparation and stereochemistry of [C₅H₅Mo(CO)₂NN']PF₆ with NN' = ethylenediamine and propylenediamine. Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie (1978), 33B(2), 247-8.

Brunner, Henri; Bauer, Elisabeth; Wachter, Joachim. Optically active transition metal complexes, L. Aryl rotation in cyclopentadienyldicarbonyl-molybdenum-thioamidato complexes. Chemische Berichte (1978), 111(1), 379-87.

Brunner, Henri; Gasting, Robert G. Optically active transition metal complexes. LVI. Preparation and stereochemistry of (+)₅₇₈- and (-)₅₇₈-(η -C₆H₆)RuX(Me)[Ph₂PNHCH(Me)(Ph)], where X = Cl, SnCl₃. Journal of Organometallic Chemistry (1978), 145(3), 365-73.

Brunner, Henri; Doppelberger, Johann. Optically active transition metal complexes, LI. Phosphorus ligands as optically active resolving agents in the complexes $C_5H_5M(CO)(NO)L$, M = chromium, molybdenum, tungsten. *Chemische Berichte* (1978), 111(2), 673-91.

Reisner, George M.; Bernal, Ivan; Brunner, Henri; Muschiol, Manfred. Absolute configuration of organometallic compounds. 4. X-ray determination of the structure and absolute configuration of $(-)_579-(\eta^5-C_5H_5)Fe(CO)[P(C_6H_5)_3]COOC_{10}H_{19}$. *Inorganic Chemistry* (1978), 17(4), 783-9.

Bernal, Ivan; LaPlaca, Sam J.; Korp, James; Brunner, Henri; Herrmann, Wolfgang A. Absolute configurations of organometallic compounds. 3. Structure and absolute configuration of the square-pyramidal complex $[(+)_579-(C_5H_5)Mo(CO)_2(NN^*)]PF_6$ (NN^* = Schiff base derived from pyridine-2-carbaldehyde and (S)-(-)- α -phenylethylamine). *Inorganic Chemistry* (1978), 17(2), 382-7.

Brunner, Henri. *Allgemeine Chemie. Nachrichten aus Chemie, Technik und Laboratorium.* (1978), 26, 230.

Brunner, Henri; Wachter, Joachim. Reaction of lithio-N-methylthiobenzamide with tricarbonylmonochlorocyclopentadienylmolybdenum or dicarbonylmonochlorocyclopentadienyliron. *Journal of Organometallic Chemistry* (1977), 142(1), 133-7.

Brunner, Henri; Gastinger, Robert G. Synthesis of optically active η^6 -benzene-ruthenium complexes. *Journal of the Chemical Society, Chemical Communications* (1977), (14), 488-9.

Reisner, M. George; Bernal, Ivan; Brunner, Henri; Wachter, Joachim. Absolute configurations of organometallic compounds. V. X-ray study of $(-)_578-(\eta^5-C_5H_5)Mo(CO)_2SC(CH_3)NR'$ with $R' = (S)-CH(CH_3)(C_6H_5)$. *Journal of Organometallic Chemistry* (1977), 137(3), 329-47.

Brunner, Henri. The stereochemistry of square-pyramidal compounds. *Chemie in Unserer Zeit* (1977), 11(5), 157-64.

Brunner, Henri; Doppelberger, Johann; Dreischl, Peter; Moellenberg, Torsten. Optically active transition metal complexes. LIV. Optical induction in the equilibration of diastereoisomers of chiral cobalt complexes with optically active phosphorus ligands. *Journal of Organometallic Chemistry* (1977), 139(2), 223-33.

Brunner, Henri; Mayer, Klaus K.; Wachter, Joachim. Mass spectrometric investigations of dicarbonyl(cyclopentadienyl)(thioamidato) complexes of molybdenum and tungsten. *Chemische Berichte* (1977), 110(2), 730-6.

Brunner, Henri; Wachter, Joachim. Optically active transition metal complexes. XL. Optically active dicarbonyl(cyclopentadienyl)(thioamidato)

complexes of molybdenum and tungsten. *Chemische Berichte* (1977), 110(2), 721-9.

Brunner, Henri; Pieronczyk, Willigis. Optisch active Übergangsmetall-Komplexe. LIII. Optically Active Ni-Complexes Obtained From the Reaction of Nickelocene with Unsymmetrically Substituted Acetylenes. *Bulletin de la Societe Chimique Belges* (1977), 86(9), 725-733.

Gonser, U.; Engelmann, H.; Brunner, Henri; Muschiol, Manfred; Nowak, Wilfried. Mössbauer Experiments in Analogy to Optical Activity. Workshop on New Directions of Mössbauer Spectroscopy, Argonne. *AIP Conference Proceedings* (1977), 38, 87-90.

Brunner, Henri; Bernal, Ivan; Lukas, Rainer; Wachter, Joachim. Optically Active Square Pyramidal Mo Compounds: Metal Centered Rearrangement, Absolute Configuration, Optical Induction, Rotational Isomerism. VIIIth International Conference on Organometallic Chemistry. Kyoto (1977), 166.

Brunner, Henri. Jahresrückblick Anorganische Chemie 1976. *Nachrichten aus Chemie, Technik und Laboratorium* (1977), 25, 55-58.

Brunner, Henri. Bürgenstock 77. *Nachrichten aus Chemie, Technik und Laboratorium* (1977), 27, 293.

Brunner, Henri. Experimentelle Einführung in Grundlagen und Methoden der Chemie. *Chemie in unserer Zeit* (1977), 11, 64.

Brunner, Henri; Steger, Wolfgang. Optically active transition metal complexes, XLIII. (-)₅₇₈-C₅H₅Mn(NO)(COC₆H₅)PN preparation, epimerization and stereochemistry of ligand exchange. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie* (1976), 31B(11), 1493-6.

Brunner, Henri; Steger, Wolfgang. Optically active transition metal complexes. XLII. Stereochemistry of phosphine exchange in (+)₅₇₈-RC₅H₄Mn(NO)(COC₆H₅)PR₃. *Journal of Organometallic Chemistry* (1976), 120(2), 239-56.

Brunner, Henri; Rackl, Franz. Optically active transition metal complexes. XLI. Epimerization and phosphine exchange in C₅H₅Fe(CO)(PPh₂R)I. *Journal of Organometallic Chemistry* (1976), 118(1), C19-C22.

Reisner, M. George; Bernal, Ivan; Brunner, Henri; Muschiol, Manfred. Absolute configurations of organometallic compounds. 2. Structure and absolute configuration of a ferrocene derivative with iron as the chirality center. *Angewandte Chemie* (1976), 88(24), 847-8.

Brunner, Henri; Wachter, Joachim. Optically active transition metal complexes. 38. 1-Naphthyl rotation and metal centered rearrangement in square pyramidal molybdenum complexes. *Angewandte Chemie* (1976), 88(10), 342-3.

- Brunner, Henri; Wachter, Joachim. Optically active transition metal complexes. XXXIX. Stereospecific phenyl addition to the dicarbonylcyclopentadienylmolybdenum pyridinecarbaldimine cation. *Journal of Organometallic Chemistry* (1976), 113(4), C58-C60.
- Brunner, Henri; Wallner, Georg. Optically active transition metal complexes, XXXII. Retention of configuration in reactions at the iron-iodine and iron-methyl bond of optically active complexes. *Chemische Berichte* (1976), 109(3), 1053-60.
- Brunner, Henri; Wachter, Joachim. Optically active transition metal complexes. XXXV. Optically active cyclopentadienyldicarbonylmolybdenum and -tungsten complexes with chelating ligands derived from benzalimines. *Journal of Organometallic Chemistry* (1976), 107(3), 307-14.
- Brunner, Henri; Herrmann, Wolfgang A.; Wachter, Joachim. Optically active transition metal complexes. XXXVII. Optical induction of bidentate ligands in square-pyramidal molybdenum complexes. *Journal of Organometallic Chemistry* (1976), 107(1), C11-C14.
- Brunner, Henri; Aclasis, Jean A. Optisch Aktive Übergangsmetall-Komplexe, XXXIII. Substituenteneinfluß auf die Racemisierungsgeschwindigkeit von (+)₅₇₉- und (-)₅₇₉-C₅H₅Mn(COOC₆H₅)(NO)P(p-C₆H₄-Y)₃. *Journal of Organometallic Chemistry* (1976), 104, 347-362.
- Brunner, Henri; Doppelberger, Johann; Fischer, Ernst, O.; Lappus, Manfred. Optisch aktive Übergangsmetall-Komplexe, XXXVI. Atropisomere Aminocarben-pentacarbonylchrom(0)-Komplexe. *Journal of Organometallic Chemistry* (1976), 112, 65-78.
- Brunner, Henri; Steger, Wolfgang. Optically Active Transition Metal Complexes. XLIV. The Nature of the Chiral Intermediates Involved in the Racemisation and Ligand Exchange Reactions of Optically Active Manganese Compounds. *Bulletin de la Societe Chimique Belges* (1976), 85(1), 883-891.
- Brunner, Henri. Jahresrückblick 1975, Organometallchemie. *Nachrichten aus Chemie, Technik und Laboratorium* (1976), 24, 54-55.
- Brunner, Henri; Burgemeister, Thomas; Wachter, Joachim. Optically active transition metal complexes. XXXI. Racemization and epimerization as a consequence of the rotation around the S₂C-NR₂ bond in dithiocarbamate complexes. *Chemische Berichte* (1975), 108(10), 3349-54.
- Brunner, Henri. Stereochemistry of the reactions of optically active organometallic transition metal compounds. *Topics in Current Chemistry* (1975), 56 67-90.
- La Placa, S. J.; Bernal, Ivan; Brunner, Henri; Herrmann, W. A. Structure and absolute configuration of an optically active square-pyramidal molybdenum complex. *Angewandte Chemie* (1975), 87(10), 379.

Brunner, Henri; Lukas, Rainer. Tetracyclopentadienyldicarbonylmolybdenum, a new compound with one π - and three σ -bonded five-membered rings. *Journal of Organometallic Chemistry* (1975), 90(2), C25-C27.

Brunner, Henri; Doppelberger, Johann. Optisch aktive Übergangsmetall-Komplexe, XXXIV. (+)₅₇₉⁻ and (-)₅₇₉⁻(η -C₅H₅)Mo(CO)(NO)[P(C₆H₅)₂N(CH₃)CH(CH₃)(C₆H₅)]. *Bulletin de la Society Chimique Belges* (1975), 84(10), 923-932

Brunner, Henri. Evidence for Chiral Organometallic Intermediates in Stereospecific Phosphine Exchange Reactions. *Journal of Organometallic Chemistry* (1975), 94, 189-194.

Brunner, Henri; Langer, Manfred. Optisch aktive Übergangsmetall-Komplexe, XXIX. Substituenteneinfluß auf die Geschwindigkeit der Racemisierung von (+)₅₇₉⁻-C₅H₅Mn(NO)[P(C₆H₅)₃]COR. *Journal of Organometallic Chemistry* (1975), 87, 223-240.

Brunner, Henri; Herrmann, Wolfgang, A.; Wachter, Joachim. Optically Active Square Pyramidal Mo and W Complexes. ICOMC-Conference, Venedig (1975).

Brunner, Henri. Jahresrückblick 1974, Anorganische Chemie. *Nachrichten aus Chemie, Technik und Laboratorium* (1975), 23, 47-48.

Brunner, Henri; Aclasis, Jean; Langer, Manfred; Steger, Wolfgang. Optically active transition metal complexes. 28. Evidence of a chiral intermediate on phosphane substitution in the complex benzoylcyclopentadienylnitrosyl-(triphenylphosphine)manganese. *Angewandte Chemie* (1974), 86(23), 864-5.

Brunner, Henri; Lappus, Manfred. Optically active transition metal complexes. XXVI. Optically active octahedral carbonyl manganese complexes. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie, Biochemie, Biophysik, Biologie* (1974), 29(5-6), 363-6.

Brunner, Henri; Rambold, Wolfgang. Optically active transition metal complexes. XXVII. Preparation and isomerization of (+)-cyclopentadienyl-(heptafluoropropyl)isothiocyanato(α -methylbenzylisocyanide)cobalt. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie, Biochemie, Biophysik, Biologie* (1974), 29(5-6), 367-70.

Brunner, Henri; Herrmann, Wolfgang A. Optically active transition metal complexes. XXV. Influence of substituents on intramolecular epimerization of tetragonal pyramidal molybdenum and tungsten complexes. *Journal of Organometallic Chemistry* (1974), 74(3), 423-39.

Brunner, Henri; Rambold, Wolfgang. Optically active transition metal complexes. XX. Optically active cyclopentadienylperfluoropropylcobalt complexes with binary Schiff bases. *Journal of Organometallic Chemistry* (1974), 64(3), 373-83.

Brunner, Henri; Strutz, Jürgen. Optisch Aktive Übergangsmetall-Komplexe, XXIV. Stereochemie der Spaltung von Fe-acyl- und Fe-ester-Bindungen und der Decarboxylierung von Fe-acetyl-Verbindungen mit optisch aktiven Eisen-Komplexen. Zeitschrift für Naturforschung (1974), 29b, 446-447.

La Placa, S. J.; Bernal, Ivan; Brunner, Henri, Herrmann, Wolfgang, A. The Molecular Structure and the Absolute Configuration of a Square-Pyramidal, Enantiomeric Molybdenum Organometallic. ICCS-Conference, Dublin (1974).

Brunner, Henri. Synthesis and Resolution of Enantiomeric Organic Compounds of the Transition Elements. Annales of the New York Academy of Sciences (1974), 83, 213-224.

Brunner, Henri. Jahresrückblick 1973, Anorganische Chemie. Nachrichten aus Chemie, Technik und Laboratorium (1974), 22, 53-55.

Brunner, Henri; Rambold, Wolfgang. Optically active transition metal complexes. 23. Direct synthesis and separation of diastereomeric phosphane manganese complexes. Angewandte Chemie (1973), 85(24), 1118-19.

Brunner, Henri; Loskot, Stephan. Nitrosyl-metal complexes. XIV. Reactions of germanium iodide $[GeI_2]$ and tin iodide $[SnI_2]$ with bis(cyclopentadienylnitrosylcobalt) $[(C_5H_5CoNO)_2]$ and cyclopentadienylnitrosylcobalt $[C_5H_5Co(NO)I]$. Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie, Biochemie, Biophysik, Biologie (1973), 28(5-6), 314-16.

Brunner, Henri; Herrmann, Wolfgang A. Optically active transition metal complexes XXII. Asymmetric complexes of vanadium, molybdenum, and tungsten with square-pyramidal structure. Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie, Biochemie, Biophysik, Biologie (1973), 28(9-10), 606-9.

Brunner, Henri; Herrmann, Wolfgang A. Optically active transition metal complexes. XIX. Optically active cyclopentadienyldicarbonylmolybdenum derivatives of the Schiff base of pyrrolecarboxaldehyde with S-(-)- α -methylbenzylamine. Journal of Organometallic Chemistry (1973), 63 339-48.

Brunner, Henri; Loskot, Stephan. Nitrosyl-metal complexes. XV. Reaction of organocobalt compounds with nitric oxide and olefins. New three component synthesis. Journal of Organometallic Chemistry (1973), 61 401-14.

Brunner, Henri; Herrmann, Wolfgang A. Optically active transition metal complexes. XVII. Optically active octahedral carbonyl complexes of chromium, molybdenum, and tungsten. Journal of Organometallic Chemistry (1973), 57(1), 183-9.

Brunner, Henri; Schindler, Hans D. Optically active transition metal

complexes. XXI. Optically active titanium complexes with four different ligands. *Journal of Organometallic Chemistry* (1973), 55(2), C71-C74.

Brunner, Henri; Langer, Manfred. Nitrosyl-metal complexes. XIII. Ring addition and carbonyl addition in the reaction of π -cyclopentadienyl carbonylnitrosyl(triphenylphosphine)manganese hexafluorophosphate with nucleophiles. *Journal of Organometallic Chemistry* (1973), 54 221-9.

Brunner, Henri; Schmidt, Eike. Optically active transition metal complexes. XV. Preparation and chemical properties of optically active, diastereomeric iron complexes. *Journal of Organometallic Chemistry* (1973), 50(1), 219-25.

Brunner, Henri; Herrmann, Wolfgang Anton. Optically active transition metal complexes. XVI. Kinetics and mechanism of the epimerization of optically active molybdenum and tungsten compounds. *Chemische Berichte* (1973), 106(2), 632-9.

Brunner, Henri; Rambold, Wolfgang. Optisch aktive Übergangsmetall-Komplexe, XVIII. Über die Reaktion von $C_5H_5Co(CO)(C_3F_7)I$ mit Isonitrilen. *Journal of Organometallic Chemistry* (1973), 60, 351-361.

Brunner, Henri. Optically active Organometallic Compounds. *International Conference on Organometallic Chemistry, Amherst* (1973), P7 (8 pages).

Brunner, Henri. Synthesis and Resolution of Enantiomeric Organic Compounds of the Transition Elements. *Conference on Horizons of Organometallic Chemistry. The New York Academy of Sciences* (1973).

Brunner, Henri. Jahresrückblick 1972, Anorganische Chemie. *Nachrichten aus Chemie, Technik und Laboratorium* (1973), 21, 27-28.

Brunner, Henri; Herrmann, Wolfgang A. Optically active transition metal complexes. XIII. Optically active azomethine derivatives of tricarbonyl(cyclopentadienyl)molybdenum and -tungsten chloride. *Chemische Berichte* (1972), 105(11), 3600-10.

Brunner, Henri; Lappus, Marta. Optically active transition metal complexes. 14. Walden inversion at an asymmetric molybdenum atom. *Angewandte Chemie, International Edition in English* (1972), 11(10), 923-4.

Brunner, Henri; Herrmann, Wolfgang A. Optically active transition metal complexes. 11. Optically active molybdenum and tungsten complexes with tetragonal-pyramidal configuration. *Angewandte Chemie, International Edition in English* (1972), 11(5), 418-19.

Brunner, Henri; Herrmann, Wolfgang A. Optically active transition metal complexes. X. Carbonyl complexes of chromium(O), molybdenum(O), and tungsten(O) with Schiff bases of pyridine-2-carboxaldehyde. *Chemische Berichte* (1972), 105(3), 770-83.

Brunner, Henri; Vogel, Marta. Optically active transition-metal complexes. VIII. (+)- and (-)-(α -methylbenzylisocyanocyclopentadienylcarbonyliron iodide. *Journal of Organometallic Chemistry* (1972), 35(1), 169-77.

Brunner, Henri; Schmidt, Eike. Optically active transition-metal complexes. XII. Inversion of Configuration at an Asymmetric Iron Atom. *Journal of Organometallic Chemistry* (1972), 36, C18-C22.

Brunner, Henri; Fischer, Ernst Otto; Lappus, Manfred. Optically active transition metal complexes. 7. Atropisomerism of transition metal carbene complexes. *Angewandte Chemie, International Edition in English* (1971), 10(12), 924-5.

Brunner, Henri; Schindler, Hans D. Optically active transition metal complexes. IX. Mechanism of triphenylphosphine exchange and racemization in optically active manganese complexes. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie, Biochemie, Biophysik, Biologie* (1971), 26(12), 1220-5.

Brunner, Henri; Loskot, Stephan. Nitrosyl-metal complexes. XII. Substitution of nitrosyl bridges in di- π -cyclopentadienyldinitrosyl dicobalt $[C_5H_5Co(NO)]_2$ by three-electron ligands. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie, Biochemie, Biophysik, Biologie* (1971), 26(8), 757-8.

Brunner, Henri; Schindler, Hans D. Optically active transition metal complexes. V. Kinetics and mechanism of the configurational change at the asymmetric manganese atom. *Chemische Berichte* (1971), 104(8), 2467-74.

Brunner, Henri; Loskot, Stephan. Nitroso-metal complexes. II. Incorporation of olefin and nitric oxide into organocobalt compounds. *Angewandte Chemie, International Edition in English* (1971), 10(7), 515-16.

Brunner, Henri. Optical activity from asymmetric transition metal atoms. *Angewandte Chemie, International Edition in English* (1971), 10(4), 249-60.

Brunner, Henri. Optische Aktivität am asymmetrischen Übergangsmetallatom. *Chimia* (1971), 284-287.

Brunner, Henri; Loskot, Stephan. Activation of Olefins by Organometallic Intermediates. *International Conference on Coordination Chemistry, Moskau* (1971), 261.

Brunner, Henri; Schindler, Hans D.; Schmidt, Eike; Vogel, Marta. Optically active transition metal complexes. IV. Magnetic-nonequivalence studies on the configuration stability of metal complexes. *Journal of Organometallic Chemistry* (1970), 24(2), 515-16.

Brunner, Henri; Schindler, Hans D. Optically active transition metal complexes. VI. Optical antipodes of the $[\text{C}_5\text{H}_5\text{Mn}(\text{CO})(\text{NO})\text{P}(\text{C}_6\text{H}_5)_3]^+$ cation. *Journal of Organometallic Chemistry* (1970), 24(1), C7-C10.

Brunner, Henri; Renk, K. F. Antiferromagnetic resonance in cobalt difluoride at 1012 Hz. *Journal of Applied Physics* (1970), 41(5), 2250-1.

Brunner, Henri; Schmidt, Eike. Optical activity at the asymmetrical iron atom. *Journal of Organometallic Chemistry* (1970), 21(2), P53-P54.

Brunner, Henri. Optische Aktivität am vierfach verschieden substituierten Mangan- und Eisen-Atom. *Chemiedozententagung, Köln* (1970), 5.

Brunner, Henri; Schindler, Hans-Dieter; Schmidt, Eike. Optical Activity Originating from Metal Centers in Organometallic Compounds of the Transition Series Containing 4 Different Substituents. *International Conference on Coordination Chemistry, Krakau/Zakopane*, (1970), 330-331.

Brunner, Henri; Schindler, H. D. Nitrosyl-metal complexes. X. Substitution reactions on $[\text{C}_5\text{H}_5\text{Mn}(\text{CO})_2\text{NO}]^+[\text{PF}_6]^-$ with neutral donor ligands. *Journal of Organometallic Chemistry* (1969), 19(1), 135-41.

Brunner, Henri. Nitrosyl-metal complexes. IX. Cationic and neutral derivatives of the $\text{C}_5\text{H}_5\text{Mn}(\text{CO})_2\text{NO}^+$ ion. *Zeitschrift fuer Anorganische und Allgemeine Chemie* (1969), 368(3-4), 120-6.

Brunner, Henri; Schmidt, Eike. Magnetic non-equivalence of methylene protons and gem-methyl groups in asymmetric iron complexes. *Angewandte Chemie, International Edition in English* (1969), 8(8), 616-17.

Brunner, Henri. Optical activity at an asymmetrical manganese atom. *Angewandte Chemie, International Edition in English* (1969), 8(5), 382-3.

Brunner, Henri. Nitrosyl-metal complexes. VI. Preparation of dinuclear nitrosylnickel complexes and complexes having 4 different substituents. *Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie, Biochemie, Biophysik, Biologie* (1969), 24(3), 275-8.

Brunner, Henri. Nitrosyl-metal complexes. VIII. Carbonyl substitutions on cyclopentadienyldicarbonylnitrosyl compounds of Group VI transition metals. *Journal of Organometallic Chemistry* (1969), 16(1), 119-24.

Brunner, Henri. Nitrosyl-metal complexes. V. Cyclopentadienylcyanocarbonylnitrosyl anions of chromium, molybdenum, and tungsten. *Chemische Berichte* (1969), 102(1), 305-9.

Brunner, Henri; Wachsmann, Herbert. Nitrosyl-metal complexes. VII. Complex chemistry of cyclopentadienylnitrosyliron and -cobalt. *Journal of Organometallic Chemistry* (1968), 15(2), 409-21.

Brunner, Henri. Nitrosylmetal complexes. IV. Cyclopentadienylnitrosyliron.

Journal of Organometallic Chemistry (1968), 14(1), 173-8.

Brunner, Henri. Nitrosyl-metal complexes. III. Cyclopentadienylnitrosylcobalt. Journal of Organometallic Chemistry (1968), 12(3), 517-22.

Brunner, Henri. Behavior of phosphine complexes of nickel(II) compounds towards nitrogen oxide. Chemische Berichte (1968), 101(1), 143-9.

Brunner, Henri. Reaction of halo(phosphine)nickel complexes with nitric oxide. Angewandte Chemie, International Edition in English (1967), 6(6), 566-7.

Brunner, Henri. Neue Ergebnisse auf dem Gebiet der Aromaten-Metall-Komplexe. Nachrichten aus Chemie, Technik und Laboratorium (1967), 15, 95-97.

Brunner, Henri. Aufmarsch der Metallorganiker. Nachrichten aus Chemie, Technik und Laboratorium (1967), 15, 348-349.

Fischer, Ernst; Brunner, Henri. Alkylol and diarylmethylol derivatives of dibenzenechromium (0). Ger. (1966), 3 pp.

Fischer, Ernst O.; Brunner, Henri. Substitution reactions on dibenzenechromium and related compounds. III. New dibenzenechromium derivatives. Chemische Berichte (1965), 98(1), 175-85.

Brunner, Henri; Wailes, Peter C.; Kaesz, Herbert D. Group III Alkyl Adducts of Transition Metal Cyclopentadienides. Inorg. Nucl. Chem. Lett. (1965), 1, 125-129.

Brunner, Henri; Wailes, Peter C.; Kaesz, Herbert D. Group III Alkyl Adducts of Transition Metal Cyclopentadienides. International Conference on Organometallic Chemistry, Madison (1965).

Fischer, Ernst O.; Brunner, Henri. Substitution reactions of dibenzenechromium and related compounds. II. Metalation of dibenzenechromium(0). Chemische Berichte (1962), 95, 1999-2004.

Fischer, Ernst O.; Brunner, Henri. Substitution reactions of dibenzenechromium and related compounds. I. Dimethyl dibenzenechromium(0)dicarboxylate. Zeitschrift fuer Naturforschung (1961), 16b 406.

